

Legend

- Proposed Scheme (as per Draft Orders)
- ◉ SUDS (e.g. Basin or Pond)*
- Calculation
- Health & Education Buildings
- Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr} Free-field) First Floor

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 \leq x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

9	NOV 2016	ED Publication	KA	SG	BMCK	ENG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA



Project

A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8a
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year
 Sheet 1 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808a	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.



Legend

- Proposed Scheme (as per Draft Orders)
- ▭ SUDS (e.g. Basin or Pond)*
- ▭ Calculation
- ▭ Health & Education Buildings
- ▭ Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr}, Free-field) First Floor

- ▭ $x \geq 10$ dB
- ▭ $5 \leq x < 10$ dB
- ▭ $3 \leq x < 5$ dB
- ▭ $0 \leq x < 3$ dB
- ▭ $x = 0$ dB
- ▭ $-3 < x < 0$ dB
- ▭ $-5 < x \leq -3$ dB
- ▭ $-10 < x \leq -5$ dB
- ▭ $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

9	NOV 2016	ED Preparation	KA	SG	BMCK	ENG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd

JACOBS
 16 Bedford Street, Glasgow, G2 7NK, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHRAIL ALBA


Project




A98
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8b
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year
 Sheet 2 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808b	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





Legend

- Proposed Scheme (as per Draft Orders)
- SUDS (e.g. Basin or Pond)*
- Calculation
- Health & Education Buildings
- Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr} Free-field) First Floor

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 \leq x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd
0	NOV 2016	IS Publication	KA	SG	BMCK	ENG

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA

Project



A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8c
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year
 Sheet 3 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808c	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





Legend

- Proposed Scheme (as per Draft Orders)
- 🟦 SUDS (e.g. Basin or Pond)*
- Calculation
- 🟡 Health & Education Buildings
- 🔴 Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr} Free-field) First Floor

- 🔴 $x \geq 10$ dB
- 🟡 $5 \leq x < 10$ dB
- 🟠 $3 \leq x < 5$ dB
- 🟢 $0 \leq x < 3$ dB
- ⚪ $x = 0$ dB
- 🟢 $-3 < x < 0$ dB
- 🟠 $-5 < x \leq -3$ dB
- 🟡 $-10 < x \leq -5$ dB
- 🔵 $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

9	NOV 2016	ES Publication	KA	SG	BMCK	ENG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

TRANSPORT SCOTLAND
COMHDAHL ALBA

Project

A96
DUALLING
INVERNESS TO NAIRN
(incl. Nairn Bypass)


Drawing title



**Figure 8.8d
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year**

Sheet 4 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808d	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





Legend

- Proposed Scheme (as per Draft Orders)
- SUDS (e.g. Basin or Pond)*
- Calculation
- Health & Education Buildings
- Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr}, Free-field) First Floor

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 \leq x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd
0	NOV 2016	IS Production	KA	SG	BMCK	ENG

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA


Project



A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8e
Environmental Statement
Noise Level Difference Contour Map (First Floor)
Do-Min. Baseline Year
Vs Do-Something Future Assessment Year
 Sheet 5 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808e	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





- Legend**
- Proposed Scheme (as per Draft Orders)
 - ▭ SUDS (e.g. Basin or Pond)*
 - ▭ Calculation
 - ▭ Health & Education Buildings
 - ▭ Sample Receptor
- Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr} Free-field) First Floor**
- ▭ $x \geq 10$ dB
 - ▭ $5 \leq x < 10$ dB
 - ▭ $3 \leq x < 5$ dB
 - ▭ $0 \leq x < 3$ dB
 - ▭ $x = 0$ dB
 - ▭ $-3 < x < 0$ dB
 - ▭ $-5 < x \leq -3$ dB
 - ▭ $-10 < x \leq -5$ dB
 - ▭ $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

9	NOV 2016	ED Revision	KA	SG	BMCK	ENG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA


Project



A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8f
Environmental Statement
Noise Level Difference Contour Map (First Floor)
Do-Min. Baseline Year
Vs Do-Something Future Assessment Year
 Sheet 6 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808f	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





Legend

- Proposed Scheme (as per Draft Orders)
- ▭ SUDS (e.g. Basin or Pond)*
- ▭ Calculation
- ▭ Health & Education Buildings
- ▭ Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr}, Free-field) First Floor

- ▭ $x \geq 10$ dB
- ▭ $5 \leq x < 10$ dB
- ▭ $3 \leq x < 5$ dB
- ▭ $0 \leq x < 3$ dB
- ▭ $x = 0$ dB
- ▭ $-3 < x < 0$ dB
- ▭ $-5 < x \leq -3$ dB
- ▭ $-10 < x \leq -5$ dB
- ▭ $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

9	NOV 2016	ED Preparation	KA	SG	BMCK	ENG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checked	Rev'd	Apprv'd

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA



Project

A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8g
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year
 Sheet 7 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808g	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.



Legend

- Proposed Scheme (as per Draft Orders)
- SUDS (e.g. Basin or Pond)*
- Calculation
- Health & Education Buildings
- Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr}, Free-field) First Floor

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 \leq x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Rev. Description	Orig/Dwn	Checkd	Rev'd	Apprv'd
0	NOV 2016	Issue for public consultation	KA	SG	BMCK	ENG

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHRAIL ALBA


Project



A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8h
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year
 Sheet 8 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808h	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





- Legend**
- Proposed Scheme (as per Draft Orders)
 - ☒ SUDS (e.g. Basin or Pond)*
 - Calculation
 - Health & Education Buildings
 - Sample Receptor
- Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr}, Free-field) First Floor**
- $x \geq 10$ dB
 - $5 \leq x < 10$ dB
 - $3 \leq x < 5$ dB
 - $0 \leq x < 3$ dB
 - $x = 0$ dB
 - $-3 < x < 0$ dB
 - $-5 < x \leq -3$ dB
 - $-10 < x \leq -5$ dB
 - $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd
0	NOV 2016	IS Production	KA	SG	BMCK	ENG

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA



Project

A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8i
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year
 Sheet 9 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808i	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.



Legend

- Proposed Scheme (as per Draft Orders)
- SUDS (e.g. Basin or Pond)*
- Calculation
- Health & Education Buildings
- Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr} Free-field) First Floor

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 \leq x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd
0	NOV 2016	ES Production	KA	SG	BMCK	ENG

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA



Project

A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8j
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year
 Sheet 10 of 16

Drawing Status: FINAL
 Scale: 1:10,000 @ A3 DO NOT SCALE
 Jacobs No.: B2103500
 BIM No.:
 Drawing number: B2103500/EN/EIA/DR/808j Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.



Legend

- Proposed Scheme (as per Draft Orders)
- SUDS (e.g. Basin or Pond)*
- Calculation
- Health & Education Buildings
- Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr}, Free-field) First Floor

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 \leq x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Check'd	Rev'd	Apprv'd
0	NOV 2016	IS Publication	KA	SG	BMCK	ENG

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHRAIL ALBA


Project



A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8k
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year
 Sheet 11 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808k	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





Legend

- Proposed Scheme (as per Draft Orders)
- SUDS (e.g. Basin or Pond)*
- Calculation
- Health & Education Buildings
- Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr} Free-field) First Floor

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 \leq x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Check'd	Rev'd	Apprv'd
0	NOV 2016	ISS Preparation	KA	SG	BMCK	ENG

JACOBS
 16 Balmoral Street, Glasgow, G2 7HX, UK.
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com







Drawing title
**Figure 8.81
 Environmental Statement
 Noise Level Difference Contour Map (First Floor)
 Do-Min. Baseline Year
 Vs Do-Something Future Assessment Year**

Drawing Status: FINAL
 Scale: 1:10,000 @ A3 DO NOT SCALE

Jacobs No. B2103500
 BIM No. [Blank]
 Drawing number: B2103500/EN/EIA/DR/8081 Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





- Legend**
- Proposed Scheme (as per Draft Orders)
 - SUDS (e.g. Basin or Pond)*
 - Calculation
 - Health & Education Buildings
 - Sample Receptor
- Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr} Free-field) First Floor**
- $x \geq 10$ dB
 - $5 \leq x < 10$ dB
 - $3 \leq x < 5$ dB
 - $0 \leq x < 3$ dB
 - $x = 0$ dB
 - $-3 < x < 0$ dB
 - $-5 < x \leq -3$ dB
 - $-10 < x \leq -5$ dB
 - $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Check'd	Rev'd	Apprv'd
0	NOV 2016	ED Publication	KA	SG	BMCK	ENG






Figure 8.8m
Environmental Statement
Noise Level Difference Contour Map (First Floor)
Do-Min. Baseline Year
Vs Do-Something Future Assessment Year

Sheet 13 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808m	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





Legend

- Proposed Scheme (as per Draft Orders)
- ⊡ SUDS (e.g. Basin or Pond)*
- Calculation
- Health & Education Buildings
- Sample Receptor

Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr}, Free-field) First Floor

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 \leq x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

9	NOV 2016	ED Publication	KA	SG	BMCK	ENG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA


Project



A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8n
Environmental Statement
Noise Level Difference Contour Map (First Floor)
Do-Min. Baseline Year
Vs Do-Something Future Assessment Year
 Sheet 14 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808n	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





- Legend**
- Proposed Scheme (as per Draft Orders)
 - ◉ SUDS (e.g. Basin or Pond)*
 - Calculation
 - Health & Education Buildings
 - Sample Receptor
- Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr} Free-field) First Floor**
- $x \geq 10$ dB
 - $5 \leq x < 10$ dB
 - $3 \leq x < 5$ dB
 - $0 \leq x < 3$ dB
 - $x = 0$ dB
 - $-3 < x < 0$ dB
 - $-5 < x \leq -3$ dB
 - $-10 < x \leq -5$ dB
 - $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd
0	NOV 2016	Issue for	KA	SG	BMCK	ENG

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHRAIL ALBA



Project

A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8o
Environmental Statement
Noise Level Difference Contour Map (First Floor)
Do-Min. Baseline Year
Vs Do-Something Future Assessment Year
 Sheet 15 of 16

Drawing Status	FINAL	
Scale	1:10,000 @ A3	DO NOT SCALE
Jacobs No.	B2103500	
BIM No.		
Drawing number	B2103500/EN/EIA/DR/808o	Rev 0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.



- Legend**
- Proposed Scheme (as per Draft Orders)
 - SUDS (e.g. Basin or Pond)*
 - - - Calculation
 - Health & Education Buildings
 - Sample Receptor
- Do Minimum Baseline Year Vs Do Something Future Year (L_{A10,18hr}, Free-field) First Floor**
- $x \geq 10$ dB
 - $5 \leq x < 10$ dB
 - $3 \leq x < 5$ dB
 - $0 \leq x < 3$ dB
 - $x = 0$ dB
 - $-3 < x < 0$ dB
 - $-5 < x \leq -3$ dB
 - $-10 < x \leq -5$ dB
 - $x \leq -10$ dB

* Actual shape of pond/basin will be subject to detailed design

Rev.	Rev. Date	Purpose of revision	KA	SG	BMCK	ENG
0	NOV 2016	IS Production				

JACOBS
 16 Belford Street, Glasgow, G2 7HX, UK
 Tel: +44(0)141 243 8000 Fax: +44(0)141 226 3109
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COMHDAHL ALBA

Project

A96
 DUALLING
 INVERNESS TO NAIRN
 (incl. Nairn Bypass)

Drawing title
Figure 8.8p
Environmental Statement
Noise Level Difference Contour Map (First Floor)
Do-Min. Baseline Year
Vs Do-Something Future Assessment Year

Drawing Status	FINAL		Sheet 16 of 16
Scale	1:10,000	@ A3	DO NOT SCALE
Jacobs No.	B2103500		
BIM No.			
Drawing number	B2103500/EN/EIA/DR/808p	Rev	0

