

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Visual Receptors – Buildings

Key to Codes for Table 1

Type and Number	Existing View	Sensitivity of Receptor	Elements of Proposed Scheme Visible	Magnitude of Change	Impact
dw =dwelling i =industrial c =commercial o =other	r =rural rd =road u =urban i =industrial d =derelict land s =sea	h =high m =medium l =low	rs =road surface v =vehicles l =lighting b =bridge nb =noise barrier g =gantry/ signs	h =high m =medium l =low	sl = slight beneficial n =Negligible sl =Slight m =Moderate sub =Substantial se =Severe

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Table 1 – Northern Leg: Built Receptor Visual Assessment

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.1 20/04/05 Overhills & Rowanbank (Fig 12.3a)	dw & o (farm) 2no	r, u	m	Partial screening by drystone walling	v, l, b, g	m/h	m/sub	Partial screening by drystone walling	v, l, b, g	m/h	m/sub
3.2 20/04/05 Brimmond Lodge, Kepplestone & Newton (Fig 12.3a)	dw & o (farm) 7no	r, rd, u	m	Limited screening by false cutting, new feathered tree lines, scrub woodland and drystone walling	rs, v, l, b, g	h	se	Partial screening by false cutting, mature tree lines, scrub woodland and drystone walling	rs, v, l, b, g	h	sub
3.3 20/04/05 Manse Cottage (Fig 12.3a)	dw 1no	r	m	Partial screening by new feathered tree lines and drystone walling	v, l, b, g	m/h	sub	Increased screening by mature tree lines and drystone walling	v, l, b, g	m/h	sub
3.4 20/04/05 Glebe Cottage & Manse (Fig 12.3a)	dw 2no	r, rd, u	m	Limited screening by new feathered tree lines, scrub woodland and drystone walling	rs, v, l, b, g	h	sub	Partial screening by mature tree lines, scrub woodland and drystone walling	rs, v, l, b, g	h	sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.5 14/02/05 Newhills Parish Church (Fig 12.3a)	o (church) 1no	r, rd, u, i	m	Partial screening by false cutting and new scrub woodland	rs, v, l, b	m/h	sub	Increased screening by false cutting and mature scrub woodland	rs, v, l, b	m	m
3.6 14/02/05 Bucksburn Nursing Home (Fig 12.3b)	o (nursing home) 1no	r, rd, u, i	m/h	Partial screening by false cutting and new scrub woodland	rs, v, l, b	m/h	sub	Increased screening by false cutting and mature scrub woodland	rs, v, l, b	m	m
3.7 20/04/05 Kirkhill & Kirkhill Cottage (Fig 12.3b)	dw 2no	r, rd	m	Limited screening by new tree lines	v	m	m	Increased screening by mature tree lines	v	m	m
3.8 14/02/05 Christie Grange (Fig 12.3b)	dw 5no	r, rd, u	m	Limited screening by new tree lines	v, l	l/m	sl/m	Increased screening by mature tree lines	v, l	l	sl/n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.9 14/02/05 Tantallon, Kowai, Clashbog Cottage, & Christie Grange (Fig 12.3b)	dw 7no	r, rd, u, i	m	Partial screening by false cutting and new scrub and broadleaf woodland	rs, v, l, b	m	sl	Increased screening by false cutting and mature scrub and broadleaf woodland	rs, v, l, b	l/m	n
3.10 10/05/05 Ashtown Farm & Ashtown Cottage (Fig 12.3b)	dw & o (farm) 4no	r, rd	m/h	Limited screening by new tree lines	rs, v, l, b, g	h	sub	Increased screening by mature tree lines	rs, v, l, b, g	h	sub
3.11 10/05/05 Craibstone Golf Centre (Fig 12.3b)	c (golf clubhouse) 1no	r, rd	l/m	Limited screening by new tree lines	rs, v, b, g	h	m/sub	Increased screening by mature tree lines	rs, v, b, g	h	m/sub
3.12 10/05/05 Parkhead (Fig 12.3b)	dw 2no	r, rd	m/h	Limited screening by new tree lines	rs, v, l, g	h	sub	Increased screening by mature tree lines	rs, v, l, g	h	sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.13 04/05/05 Ferguson Building (Craibstone College of Agriculture) (Fig 12.3b)	o (offices & labs) 1no	r	l/m	Limited screening by new mixed woodland	v, g	m/h	sub	Significant screening by mature mixed woodland	v, g	m	m
3.14 04/05/05 Mackie Hall (Scottish Agricultural College) (Fig 12.3b)	dw (hall of residence) & o (offices) 2no	r	m	Limited screening by new mixed woodland	v, l, g	m/h	sub	Significant screening by mature mixed woodland	v, l, g	m	m
3.15 04/05/05 Sutton Hall (Scottish Agricultural College) (Fig 12.3b)	dw (hall of residence) 1no	r	m	Limited screening by new mixed woodland	rs, v, l, g	h	sub/se	Significant screening by mature mixed woodland	rs, v, l, g	m/h	sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.16 23/06/05 Hunter Hall (Scottish Agricultural College) (Fig 12.3b)	o (offices) 1no	r, rd	l/m	Partial screening by false cutting and new scrub and mixed woodland	rs, v, l, g	l/m	m	Increased screening by false cutting and mature scrub and mixed woodland	rs, v, l, g	l	n
3.17 23/06/05 (Scottish Agricultural College) (Fig 12.3b)	dw 11no	r, rd	m	Partial screening by false cutting and new mixed woodland	rs, v, l, b, nb, g	m	m/sub	Increased screening by false cutting and new mixed woodland	rs, v, l, b, nb, g	l	sl/m
3.18 14/02/05 Eastside Gardens (Fig 12.3b)	dw 3no	r, rd, u, i	m	Limited screening by new scrub woodland and feathered tree planting	rs, v, l	m/h	m/sub	Partial screening by mature scrub woodland and tree planting	rs, v, l	m	m
3.19 14/02/05 Eastside Gardens (Fig 12.3b)	dw 8no	r, rd, u, i	m/h	Limited screening by new scrub woodland and feathered tree planting	rs, v, l	m/h	m	Partial screening by mature scrub woodland and tree planting	rs, v, l	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.20 14/02/05 Forrit Brae (Fig 12.3b)	dw 2no	r, rd, u, i	m	Limited screening by existing mixed woodland	rs, v, l	m	sl/n	Increased screening by existing mixed woodland	rs, v, l	l	n
3.21 14/02/05 Forrit Brae (Fig 12.3b)	dw 2no	r, rd, u, i	m	Limited screening by existing mixed woodland	rs, v, l	m	sl/m	Increased screening by existing mixed woodland	rs, v, l	l	n
3.22 14/02/05 Forrit Brae (Fig 12.3b)	dw 4no	r, rd, u	m	Limited screening by existing mixed woodland	rs, v, l	l/m	sl	Increased screening by existing mixed woodland	rs, v, l	l	n
3.23 09/05/06 Forrit Brae (Fig 12.3b)	dw 6no	r, rd, u	m	Limited screening by existing mixed woodland	rs, v, l, g	l	sl/n	Increased screening by existing mixed woodland	rs, v, l, g	l	n
3.24 09/05/06 Williamson Cottage & Walton Road (Fig 12.3b)	dw 9no	r, rd, u	m	Limited screening by existing mixed woodland	rs, v, l, g	l	sl	Limited screening by existing mixed woodland	rs, v, l, g	l	sl/n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.25 09/05/06 Millbrae & oher	dw 2no					Receptor removed due to design change				Receptor removed due to design change	
3.26 04/05/05 Mill of Craibstone (Fig 12.3b)	o (vet centre) 2no	r, rd	l	Limited screening by new scrub and mixed woodland and individual trees	rs, v, l, b, nb, g	m/h	sub	Increased screening by mature scrub and mixed woodland and individual trees	rs, v, l, b, nb, g	m	m
3.27 23/06/05 Millview (Fig 12.3b)	dw & o (offices) 1no	r, rd, i	m	Limited screening by new scrub and mixed woodland and individual trees	rs, v, l, b, nb, g	h	m/sub	Increased screening by mature scrub and mixed woodland and individual trees	rs, v, l, b, nb, g	h	sl/m
3.28 23/06/05 MacRobert Farm (Scottish Agricultural College) (Fig 12.3b)	o (farm & offices) 6no	r, rd, u, i	l/m	Limited screening by new scrub and mixed woodland, individual trees and drystone walling	rs, v, l, b, g	h	sub	Partial screening by mature scrub and mixed woodland, individual trees and drystone walling	rs, v, l, b, g	h	sub
3.29 04/05/05 Walton Cottages (Fig 12.3b)	dw 2no	r, rd, u, i	m	Limited screening by new scrub and mixed woodland, individual trees and drystone walling	rs, v, l, b, g	h	se	Partial screening by mature scrub and mixed woodland, individual trees and drystone walling	rs, v, l, b, g	h	m/sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.30 14/02/05 Chapel of Stoneywood (Fig 12.3b)	dw & i 2no	r, rd, u, i	m	Limited screening from the false cutting and new mixed woodland	rs, v, l, b, g	h	se	Partial screening by mature mixed woodland across the false cutting	rs, v, l, b, g	h	sub
3.31 14/02/05 Chapel Farm, Chapel Cottage & Chapel Croft (Fig 12.3b)	dw 3no	r, rd, u, i	m/h	Limited screening from the false cutting and new mixed woodland	rs, v, l, b, g	h	se	Partial screening by mature mixed woodland across the false cutting	rs, v, l, b, g	h	sub
3.32 14/02/05 Corsehill & Corsehill Farm Cottages (Fig 12.3b)	dw 3no	r, rd, i	m/h	Limited screening by new mixed woodland	rs, v, l, b, g	h	sl/m	Partial screening by mature mixed woodland	rs, v, l, b, g	m	sl
3.33 14/02/05 Chapel of Stoneywood (Fig 12.3b)	i/c 1no	r, rd, u, i	m	Limited screening by false cutting, new scrub and mixed woodland, and feathered tree planting	rs, v, l, b, g	h	sub	Partial screening by false cutting, mature scrub and mixed woodland, and tree planting	rs, v, l, b, g	h	sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.34 14/02/05 Hillcrest (Fig 12.3b)	dw 1no	r, rd, u, i	h	Limited screening by false cutting, new scrub and mixed woodland, and feathered tree planting	rs, v, l, b, nb, g	h	se	Partial screening by false cutting, mature scrub and mixed woodland, and tree planting	rs, v, l, b, nb, g	h	sub/se
3.35 14/02/05 Greenacres & Walton View (Fig 12.3b)	dw 5no	r, rd, u, l	h	Partial screening by false cutting and new scrub woodland	rs, v, l, b, nb, g	h	sub/se	Increased screening by false cutting and mature scrub woodland	rs, v, l, b, g	h	m/sub
3.36 14/02/05 Newton (Fig 12.3c)	o (farm) 3no	r, rd, u, i	h	Limited screening by new scrub woodland, feathered tree planting and drystone walling	rs, v, l, b, g	h	m/sub	Limited screening by mature scrub woodland, tree planting and drystone walling	rs, v, l, b, nb, g	m/h	m
3.37 03/05/05 Howemoss (Fig 12.3c)	dw & o (farm) 4no	r, i	m	Limited screening by new scrub woodland and drystone walling	v	m/h	sub	Partial screening by mature scrub woodland and drystone walling	v	m	m/sub
3.38 03/05/05 Standings-stones Cottages (Fig 12.3c)	dw 2no	r	m	Limited screening by existing mixed woodland, new scrub woodland and drystone walling	v	m/h	m/sub	Partial screening by existing mixed woodland, mature native woodland and drystone walling	v	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.39 03/05/05 Standing-stones (Fig 12.3c)	dw & o (farm) 3no	r	m	Limited screening by existing mixed woodland, new scrub woodland and drystone walling	v	m	m/sub	Partial screening by existing mixed woodland, mature native woodland and drystone walling	v	l/m	m
3.40 20/05/05 Brindy, Quarry Croft & Tulaichean (Fig 12.3c)	dw 3no	r, u, i	m	Limited screening by new scrub woodland and drystone walling	rs, v, l, b	m	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	m
3.41 20/04/05 Aultnagar, Bellavon, Garbrek & Creachan (Fig 12.3c)	dw 4no	r, rd, u, i, d	m	Limited screening by false cutting and new scrub and broadleaf woodland	rs, v, l, b	l/m	sl/m	Partial screening by false cutting and mature scrub and broadleaf woodland	rs, v, l, b	l	sl
3.42 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 19no	r, rd, u, i	l	Limited screening by false cutting and new scrub and broadleaf woodland	rs, v, l, b	m	m	Partial screening by false cutting and mature scrub and broadleaf woodland	rs, v, l, b	l/m	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.43 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 1no	r, rd, u, i	l/m	Limited screening by false cutting and new scrub and broadleaf woodland	rs, v, l, b	m	m	Partial screening by false cutting and mature scrub and broadleaf woodland	rs, v, l, b	l/m	sl/m
3.44 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 1no	r, rd, u, i	m	Limited screening by false cutting, new scrub and broadleaf woodland and drystone walling	rs, v, l, b	m/h	m/sub	Partial screening by false cutting, mature scrub and broadleaf woodland and drystone walling	rs, v, l, b	m	sl/m
3.45 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 2no	r, rd, u, i	l	Limited screening by existing mixed woodland, new scrub woodland and drystone walling	rs, v, l, b	m	m	Increased screening by existing mixed woodland, mature scrub woodland and drystone walling	rs, v, l, b	l/m	sl/m
3.46 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 3no	r, rd, i	l/m	Limited screening by existing mixed woodland, new scrub woodland and drystone walling	v, l	l/m	sl	Increased screening by existing mixed woodland, mature scrub woodland and drystone walling	v, l	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.47 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 1no	r, rd, i	l/m	Limited screening by existing mixed woodland, new scrub woodland and drystone walling	v, l	m	m	Increased screening by existing mixed woodland, mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.48 08/02/05 Howe Moss Place (Fig 12.3c)	i 2no	r, rd, i	l/m	None	v, l	m	m	None	v, l	l/m	m
3.49 08/02/05 Howe Moss Place (Fig 12.3c)	i 1no	r, rd, i	l/m	None	v, l	m/h	m	None	v, l	m	m
3.50 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 2no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	sub	Increased screening by mature scrub woodland and drystone walling	v, l	m	m/sub
3.51 09/02/05 Howe Moss Drive (Fig 12.3c)	i 3no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl/n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.52 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.53 08/02/05 Howe Moss Crescent (Fig 12.3c)	i 1no	r, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl/n
3.54 08/02/05 Howe Moss Drive (Fig 12.3c)	i 4no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl
3.55 23/06/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, i	l/m	Limited screening by new scrub woodland and drystone walling	v, b	m/h	m	Partial screening by mature scrub woodland and drystone walling	v, b	m	sl/m
3.56 08/02/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.57 08/02/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	m	sl	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/n
3.58 08/02/05 Airport Commerce Park (Fig 12.3c)	i 9no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl
3.59 08/02/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, rd, i	l	Limited screening by new scrub woodland	v, l	m	sl	Partial screening by mature scrub woodland	v, l	l/m	sl/n
3.60 09/02/05 Howe Moss Drive (Fig 12.3c)	i 3no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	m/h	sl
3.61 09/02/05 Dyce Avenue (Fig 12.3c)	i 3no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.62 09/02/05 Dyce Avenue (Fig 12.3c)	i 2no	r, rd, i, d	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl/m
3.63 28/04/05 Dyce Airport (Fig 12.3c)	terminal building 1no	r, i	l	Limited screening by false cutting and new scrub and broadleaf woodland	v	l	sl	Partial screening by false cutting and mature scrub and broadleaf woodland	v	l	sl/n
3.64 09/02/05 Kirkhill Place (Fig 12.3c)	i 2no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl
3.65 09/02/05 Airport Industrial Park (Fig 12.3c)	i 5no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl
3.66 09/02/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, rd, i	l/m	Partial screening by drystone walling	v, l	l/m	sl	Partial screening by drystone walling	v, l	l	sl/n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.67 09/02/05 Howe Moss Drive (Fig 12.3c)	i 2no	r, rd, i	l/m	Partial screening by drystone walling	v, l	l/m	sl	Partial screening by drystone walling	v, l	l	sl/n
3.68 09/02/05 Kirkhill Place (Fig 12.3c)	i 2no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl/n
3.69 09/02/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	rs, v, l	m/h	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l	m	sl/m
3.70 09/02/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl
3.71 08/02/05 Howe Moss Avenue (Fig 12.3c)	i 3no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.72 09/02/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl
3.73 09/02/05 Howe Moss Drive (Fig 12.3c)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.74 09/02/05 Newton Road & Forties Road (Fig 12.3c)	i 2no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl
3.75 09/02/05 Newton Road (Fig 12.3c)	i 3no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl/n
3.76 08/02/05 Robert Leonard Industrial Centre (Fig 12.3c)	i 7no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl/n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.77 08/02/05 Howe Moss Place (Fig 12.3c)	i 3no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl
3.78 08/02/05 Robert Leonard Industrial Centre (Fig 12.3c)	i 2no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl
3.79 09/02/05 Howe Moss Drive & Terrace (Fig 12.3c)	i 6no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl
3.80 08/02/05 Howe Moss Terrace (Fig 12.3c)	i 1no	r, rd, i, d	l/m	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b	m	m	Partial screening by false cutting and mature scrub and mixed woodland	rs, v, l, b	m	sl/m
3.81 09/02/05 Kirkhill Drive (Fig 12.3c)	i 1no	r, rd, i	l/m	Limited screening by new scrub woodland	v, l	m	m	Partial screening by mature scrub woodland	v, l	l/m	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.82 09/02/05 Kirkhill Drive (Fig 12.3c)	i 1no	r, rd, i	l/m	Limited screening by false cutting and new scrub and broadleaf woodland	rs, v, l, b	m/h	m	Increased screening by false cutting and mature scrub and broadleaf woodland	rs, v, l, b	m	sl/m
3.83 09/02/05 Kirkhill Drive (Fig 12.3c)	i 2no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l, b, g	m/h	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b, g	m	sl
3.84 09/02/05 Kirkhill Drive (Fig 12.3c)	i 13no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	l/m	sl	Increased screening by mature scrub woodland and drystone walling	v, l	l	sl/n
3.85 09/02/05 Kirkhill Drive (Fig 12.3c)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l, b	m	m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	sl/m
3.86 08/02/05 Kirkhill Drive (Fig 12.3c)	i 3no	r, rd, i	l	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b	h	sl/m	Increased screening by false cutting and mature scrub and mixed woodland	rs, v, l, b	m/h	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.87 28/04/05 Nether Kirkton (Fig 12.3d)	dw 3no	r, i	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b, nb	h	sub/se	Increased screening by false cutting and mature scrub woodland	rs, v, l, b, nb	h	sub/se
3.88 03/05/05 Tillybrig Cottage & Lyndmoor (Fig 12.3d)	dw 2no	r, rd, i, railway	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b, nb, g	h	sub	Increased screening by false cutting and mature scrub woodland	rs, v, l, b, nb, g	h	sub
3.89 28/04/05 Upper Kirkton (Fig 12.3d)	dw 1no	r, i	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b, nb	h	sub	Limited screening by false cutting and mature scrub woodland	rs, v, l, b, nb	h	sub
3.90 28/04/05 West Overton & Overton Green (Fig 12.3d)	dw 2no	r, i	m	Limited screening by false cutting and new scrub and broadleaf woodland	rs, v, l, b	h	sub	Limited screening by false cutting and mature scrub and broadleaf woodland	rs, v, l, b	h	sub
3.91 20/05/05 Bogenjoss (Fig 12.3d)	dw 1no	r	m/h	Limited screening by false cutting and new mixed and riparian woodland	rs, v, b, nb	h	se	Increased screening by false cutting and mature mixed and riparian woodland	rs, v, b, nb	h	se

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.92 09/05/06 Gate Lodge (Fig 12.3d)	dw 1no	r	m/h	Limited screening by existing mixed woodland	v	h	sub	Partial screening by existing mixed woodland planting enhanced by mature mixed woodland planting along the route	v	m	m
3.93 03/05/05 Woodlands Cottages, Woodlands & Park House (Fig 12.3d)	dw 3no	r	m/h	Limited screening by new mixed woodland	v	m/h	m/sub	Significant screening by mature mixed woodland	v	l/m	sl/m
3.94 03/05/05 Guildhall (Fig 12.3d)	dw 1no	r	m/h	Limited screening by new mixed woodland	v	l/m	m	Significant screening by mature mixed woodland	v	l/m	sl/m
3.95 03/05/05 Shady Neuk (Fig 12.3d)	dw 1no	r	m/h	Limited screening by new mixed woodland	v	l/m	m	Significant screening by mature mixed woodland	v	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.96 15/02/05 Lamington Court (Fig 12.2b)	dw 3no	r	m	Limited screening by new mixed woodland	v, b	l	sl/n	Partial screening by mature mixed woodland	v, b	l	n
3.97 15/02/05 Lamington Court (Fig 12.2b)	dw 6no	r	m	Limited screening by new mixed woodland	v, b	l	sl/n	Partial screening by mature mixed woodland	v, b	l	n
3.98 15/02/05 The Cottis (Fig 12.2b)	dw 1no	r	m	Limited screening by new mixed woodland	v, b	l	sl/n	Partial screening by mature mixed woodland	v, b	l	n
3.99 15/02/05 North Lodge (Fig 12.2b)	dw 1no	r	m	Limited screening by new mixed woodland	rs, v	m	sl/m	Partial screening by mature mixed woodland	rs, v	l	sl
3.100 15/02/05 (Fig 12.2b)	dw 1no	r	m	Limited screening by new mixed woodland	v	l	n	Partial screening by mature mixed woodland	v	l	n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.101 15/02/05 Garthy (Fig 12.2b)	dw 1no	r	m	Limited screening by new mixed woodland	rs, v	l	sl/n	Partial screening by mature mixed woodland	rs, v	l	n
3.102 15/02/05 Newmill Farm (Fig 12.3d)	dw 1no	r	l/m	Limited screening by new mixed woodland	rs, v	m	sl/n	Significant screening by mature mixed woodland	rs, v	l	n
3.103 10/02/05 Logie Farm (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	rs, v	h	sub	Significant screening by mature mixed woodland	rs, v	l	sl
3.104 15/02/05 East Lodge (Fig 12.3d)	dw 1no	r	m	Limited screening by existing mature woodland and new mixed woodland	v, b	l	sl/n	Partial screening by mature mixed woodland	v, b	l	n
3.105 15/02/05 Foresterseat (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	rs, v	m	sl/m	Significant screening by mature mixed woodland	rs, v	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.106 10/02/05 Wellfold (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	rs, v	m	m	Significant screening by mature mixed woodland	rs, v	l	sl
3.107 10/02/05 Strawberry Fields Cottage (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	rs, v	h	sub	Significant screening by mature mixed woodland	rs, v	m	sl/m
3.108 10/02/05 St. Meddens (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	rs, v	h	sub	Significant screening by mature mixed woodland	rs, v	m	m
3.109 10/02/05 Lower Cothal Mill (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	v	m	sub	Significant screening by mature mixed woodland	v	l	sl
3.110 10/02/05 Upper Cothal Mill (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	v	h	sub	Significant screening by mature mixed woodland	v	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.111 10/02/05 Mill House (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	v	m	m	Significant screening by mature mixed woodland	v	l	sl
3.112 10/02/05 Rowan Cottage (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	v	h	sub	Significant screening by mature mixed woodland	v	m	m
3.113 10/02/05 Cothal House (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	v	h	sub	Significant screening by mature mixed woodland	v	m	m
3.114 10/02/05 Shady Pines (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	v	m	m	Significant screening by mature mixed woodland	v	l	sl
3.115 10/02/05 Glentara (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	v	m	sl/m	Significant screening by mature mixed woodland	v	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.116 10/02/05 Shaynoo (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	v	m	sl	Significant screening by mature mixed woodland	v	l	sl/n
3.117 10/02/05 Fintray Lodge (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	rs, v	h	m/sub	Significant screening by mature mixed woodland	rs, v	m	m
3.118 10/02/05 Dalus Cottage (Fig 12.3d)	dw 2no	r	m	Limited screening by new mixed woodland	v	m	m	Significant screening by mature mixed woodland	v	m	sl/m
3.119 10/02/05 Cothal Cottage (Fig 12.3d)	dw 2no	r	m	Limited screening by new mixed woodland	rs, v, b	m	m	Significant screening by mature mixed woodland	rs, v, b	l	sl/m
3.120 10/02/05 Post Office (Fig 12.3d)	dw 1no	r	h	Limited screening by new mixed woodland	rs, v	h	sub	Significant screening by mature mixed woodland	rs, v	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.121 10/02/05 Rosevalley (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	rs, v	l	sl	Significant screening by mature mixed woodland	rs, v	l	n
3.122 10/02/05 Rosevalley Steading (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	rs, v, b	m	m	Significant screening by mature mixed woodland	rs, v, b	m	sl
3.123 10/02/05 Rosevalley Cottage (Fig 12.3d)	dw 1no	r	m	Limited screening by new mixed woodland	rs, v, b	m	m	Significant screening by mature mixed woodland	rs, v, b	m	sl
3.124 09/02/05 Fae-Me-Well (Fig 12.3d)	dw 3no	r	m	Limited screening by new mixed woodland	rs, v, l, b, g	m	m	Significant screening by mature mixed woodland	rs, v, l, b, g	l	sl
3.125 09/02/05 Market Street & Auchriny Circle (Fig 12.4a)	dw 6no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.126 09/02/05 Market Street & Auchriny Circle (Fig 12.4a)	dw 6no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l	m	m
3.127 09/02/05 Wellheads Drive, Wellheads Crescent & Wellheads Terrace (Fig 12.4a)	i 4no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	sl
3.128 09/02/05 Wellheads Crescent (Fig 12.4a)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.129 09/02/05 Wellheads Place (Fig 12.4a)	i 3no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.130 09/02/05 Wellheads Industrial Centre (Fig 12.4a)	i 11no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	sl/m
3.131 09/02/05 Wellheads Drive (Fig 12.4b)	i 2no	r, rd, i	m/h	Partial screening by new scrub woodland and drystone walling	v, l	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl
3.132 09/02/05 Wellheads Drive (Fig 12.4b)	i 2no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl
3.133 09/02/05 Farburn Terrace (Fig 12.4b)	o (hotel) 2no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.134 09/02/05 Farburn Terrace & Wellheads Drive (Fig 12.4b)	i 2no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.135 09/02/05 Farburn Terrace (Fig 12.4b)	i 2no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl/m
3.136 09/02/05 Farburn Terrace (Fig 12.4b)	dw 3no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m	m	Increased screening by mature scrub woodland and drystone walling	v, l, b	l/m	m
3.137 09/02/05 Farburn Terrace (Fig 12.4b)	dw 2no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	l/m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l, b	l	sl
3.138 09/02/05 Farburn Terrace (Fig 12.4b)	i 2no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	sl/m
3.139 09/02/05 Farburn Terrace (Fig 12.4b)	c (bar/restaurant) 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.140 09/02/05 Cordyce View (Fig 12.4b)	dw 7no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m
3.141 09/02/05 Farburn Terrace (Fig 12.4b)	dw 3no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l	m	m
3.142 09/02/05 Cordyce View (Fig 12.4b)	dw 4no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	m	m
3.143 09/02/05 Farburn Terrace (Fig 12.4b)	dw 2no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.144 09/02/05 Farburn Terrace (Fig 12.4b)	dw & c (garage) 4no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.145 09/02/05 Farburn Terrace (Fig 12.4b)	dw 2no	r, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m
3.146 09/02/05 Foinavon Close (Fig 12.4b)	i 2no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	sl
3.147 09/02/05 Victoria Street (Fig 12.4b)	dw 4no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.148 09/02/05 Victoria Street (Fig 12.4b)	dw 4no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l	m	m
3.149 09/02/05 John Street (Fig 12.4b)	dw 4no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.150 09/02/05 Victoria Street (Fig 12.4b)	dw 2no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl
3.151 09/02/05 Victoria Street (Fig 12.4b)	dw 1no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.152 09/02/05 Summer Place (Fig 12.4b)	dw 8no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.153 09/02/05 Summer Place (Fig 12.4b)	dw 3no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l, b	l/m	sl
3.154 09/02/05 Victoria Street (Fig 12.4b)	dw 6no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.155 09/02/05 Skene Place (Fig 12.4b)	dw 2no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.156 09/02/05 Station Road (Fig 12.4b)	dw 2no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m
3.157 10/02/05 Station Road (Fig 12.4b)	o (pub) 1no	r, rd, u, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l	m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl
3.158 10/02/05 Station Road (Fig 12.4b)	dw 5no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.159 10/02/05 Station Road (Fig 12.4b)	dw 3no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.160 09/02/05 Station Road, Union Row & Merrivale (Fig 12.4b)	dw 4no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m
3.161 10/02/05 Union Row (Fig 12.4b)	dw 4no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.162 10/02/05 Victoria Street (Fig 12.4b)	dw 2no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl
3.163 10/02/05 Victoria Street <i>(under construction)</i> (Fig 12.4b)	dw 15no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.164 10/02/05 Glengowan Cottage & Bruxelles (Fig 12.4b)	dw 2no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m
3.165 10/02/05 Victoria Street (under construction) (Fig 12.4b)	dw 6no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m
3.166 10/02/05 Victoria Street (Fig 12.4b)	dw 5no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	m
3.167 10/02/05 Victoria Street (Fig 12.4b)	o (community centre) 1no	r, rd, u, i	l/m	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.168 10/02/05 Victoria Street (Fig 12.4b)	dw 3no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	v, l	m	m
3.169 10/02/05 Dyce Parish Church (Fig 12.4b)	o (church) 1no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m	m	Increased screening by mature scrub woodland and drystone walling	v, l	l/m	sl/m
3.170 10/02/05 Victoria Street (Fig 12.4b)	dw 4no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	h	sub	Increased screening by mature scrub woodland and drystone walling	v, l	m/h	m/sub
3.171 10/02/05 Victoria Street & Pitmedden Road (Fig 12.4b)	dw 7no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	h	sub	Increased screening by mature scrub woodland and drystone walling	v, l	m/h	m/sub
3.172 10/02/05 Victoria Street (Fig 12.4b)	o (nursery / daycare) 1no	r, rd, u, i	m	Partial screening by new scrub woodland and drystone walling	v, l	m/h	m	Increased screening by mature scrub woodland and drystone walling	v, l	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.173 10/02/05 Pitmedden Road (Fig 12.4b)	o (telephone exchange) 1no	r, rd, u, i	l	Partial screening by new scrub woodland and drystone walling	v, l, b	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m/h	sl/m
3.174 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4b)	i 20no	r, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl
3.175 10/02/05 Pitmedden Road (Fig 12.4c)	o (ATC hut) 1no	r, rd, u, l	l/m	Partial screening by new scrub woodland and drystone walling	v, l, b	m	sl/m	Increased screening by mature scrub woodland and drystone walling	v, l, b	m	sl/m
3.176 10/02/05 Lawson Drive (Fig 12.4c)	i 1no	r, rd, u, i, d	l/m	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.177 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	l/m	sl
3.178 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 1no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m	sl/m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	l/m	sl
3.179 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 1no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl/m
3.180 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 2no	r, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	rs, v, l	m	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.181 10/02/05 Kirkton Drive (Fig 12.4c)	i 9no	r, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	sl/m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl
3.182 10/02/05 Kirkton Drive (Fig 12.4c)	i 4no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl/m
3.183 10/02/05 Kirkton Drive (Fig 12.4c)	i 3no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl/m
3.184 10/02/05 Airways Industrial Estate (Fig 12.4c)	i 14no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l	m	sl/m	Increased screening by mature scrub woodland and drystone walling	rs, v, l	l/m	sl
3.185 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 1no	r, rd, i	l	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m/h	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.186 04/02/05 Pitmedden Road (Fig 12.4c)	i 2no	r, rd, i	l/m	Partial screening by new scrub woodland and drystone walling	rs, v, l, b	m	m	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b	l	sl
3.187 10/02/05 Pinehurst Lodge (Fig 12.4c)	dw & o (pub) 1no	r, rd, i	m	Partial screening by new scrub woodland and drystone walling	rs, v, l, b, g	m/h	m/sub	Increased screening by mature scrub woodland and drystone walling	rs, v, l, b, g	m/h	m
3.188 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 4no	r, rd, i	l	Limited screening by new scrub, broadleaf and riparian woodland	rs, v, l, b	l/m	sl/m	Increased screening by mature scrub, broadleaf and riparian woodland	rs, v, l, b	l	sl
3.189 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 2no	r, rd, i	l	Limited screening by new scrub woodland	rs, v, l, b, g	m	m	Increased screening by mature scrub woodland	rs, v, l, b, g	l/m	sl
3.190 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 1no	r, rd, i	l/m	Limited screening by new scrub woodland	rs, v, l, b	m	m	Increased screening by mature scrub woodland	rs, v, l, b	l/m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.191 10/02/05 Pitmedden Road Industrial Estate (Fig 12.4c)	i 2no	r, rd, i	l/m	Limited screening by new scrub, broadleaf and riparian woodland	rs, v, l, b, g	m	m	Increased screening by mature scrub, broadleaf and riparian woodland	rs, v, l, b, g	l/m	sl/m
3.192 10/02/05 Pitmedden Road Fire Station (Fig 12.4c)	o (fire station) 1no	r, rd, i, d	l/m	Limited screening by new scrub and broadleaf woodland	rs, v, l, b	l/m	sl/m	Partial screening by mature scrub and broadleaf woodland	rs, v, l, b	l	sl
3.193 10/02/05 Pitmedden Road (Fig 12.4c)	i 1no	r, rd, i	l	Partial screening by new scrub and broadleaf woodland and drystone walling	v, l	l/m	sl/m	Increased screening by mature scrub and broadleaf woodland and drystone walling	v, l	l/m	sl
3.194 10/02/05 Lawson Drive (Fig 12.4c)	i 2no	r, rd, u, i, d	l	Limited screening by new scrub and broadleaf woodland	rs, v, l, b, g	m/h	sl/m	Increased screening by mature scrub and broadleaf woodland	rs, v, l, b, g	m	sl
3.195 04/02/05 Pitmedden Mews (Fig 12.4c)	dw 12no	r, rd, u, i, d	m	Limited screening by new scrub and riparian woodland	rs, v, l, b	h	sub	Increased screening by mature scrub and riparian woodland	rs, v, l, b	m/h	sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.196 04/02/05 Pitmedden Mews (Fig 12.4c)	dw 1no	r, rd, u, d	m	Limited screening by new scrub and riparian woodland	rs, v, l, b	m	m/sub	Increased screening by mature scrub and riparian woodland	rs, v, l, b	m	m/sub
3.197 04/02/05 Victoria Street (Fig 12.4c)	dw 7no	r, u, d	m	Limited screening by new scrub and riparian woodland	rs, v, l, b	m	m	Increased screening by mature scrub and riparian woodland	rs, v, l, b	l	sl/m
3.198 04/02/05 Victoria Street (Fig 12.4c)	dw 2no	r, rd, u	l/m	Limited screening by new scrub and mixed woodland	v, l	l	sl	Increased screening by mature scrub and mixed woodland	v, l	l	sl
3.199 04/02/05 Victoria Street (Fig 12.4c)	dw 4no	r, rd, u, i, d	l/m	Limited screening by new scrub and mixed woodland	v, l, b	m	m/sub	Increased screening by mature scrub and mixed woodland	v, l, b	l/m	m
3.200 04/02/05 Victoria Street (Fig 12.4c)	dw 9no	r, rd, u	m	Limited screening by new scrub and riparian woodland	rs, v, l, b	m/h	m/sub	Increased screening by mature scrub and riparian woodland	rs, v, l, b	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.201 04/02/05 Lidell Place (Fig 12.4c)	dw 12no	r, rd, u	m	Limited screening by new scrub and riparian woodland	v, l, b	m/h	m/sub	Increased screening by mature scrub and riparian woodland	v, l, b	m	m
3.202 04/02/05 Lidell Place & Fetach Walk (Fig 12.4c)	dw 3no	r, rd, u	m	Limited screening by new scrub, mixed and broadleaf woodland	v, l, b	m	m	Increased screening by mature scrub, mixed and broadleaf woodland	v, l, b	l/m	sl/m
3.203 04/02/05 Lidell Place (Fig 12.4c)	dw 5no	r, u	l/m	Limited screening by new scrub, mixed and broadleaf woodland	v	l	sl	Increased screening by mature scrub, mixed and broadleaf woodland	v	l	sl
3.204 04/02/05 Corrennie Circle (Fig 12.4c)	dw 2no	r, rd, u	m	Limited screening by new scrub, mixed, broadleaf and riparian woodland	rs, v, l, b	m	m/sub	Increased screening by mature scrub, mixed, broadleaf and riparian woodland	rs, v, l, b	l/m	m
3.205 04/02/05 Fergus House Care Home (Fig 12.4c)	o (care home) 1no	r, rd, u, i, d	m/h	Limited screening by new scrub, broadleaf and riparian woodland	rs, v, l, b	m/h	sub	Increased screening by mature scrub, broadleaf and riparian woodland	rs, v, l, b	m	m/sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.206 04/02/05 Victoria Street (Fig 12.4c)	dw 6no	r, rd, u, i, d	m	Limited screening by new scrub and riparian woodland	v, l, b	m	m/sub	Increased screening by mature scrub and riparian woodland	v, l, b	m	m
3.207 04/02/05 Corrennie Circle (Fig 12.4c)	dw 2no	r, rd, u	m	Limited screening by new scrub, mixed, broadleaf and riparian woodland	v, l, b	m	m/sub	Increased screening by mature scrub, mixed, broadleaf and riparian woodland	v, l, b	m	m
3.208 03/02/05 Corrennie Circle (Fig 12.4c)	dw 10no	r, rd, i	m	Limited screening by new scrub, broadleaf and riparian woodland	v, l, b	l/m	m	Increased screening by mature scrub, broadleaf and riparian woodland	v, l, b	l	sl
3.209 03/02/05 Corrennie Circle (Fig 12.4c)	dw 6no	r, rd, i	l/m	Limited screening by new scrub, mixed and broadleaf woodland	v, l, b	m/h	sub	Increased screening by mature scrub, mixed and broadleaf woodland	v, l, b	m	sub
3.210 04/02/05 Corrennie Circle (Fig 12.4c)	dw 3no	r, rd, u	m	Limited screening by new mixed and broadleaf woodland	v, l, b	m	m/sub	Increased screening by mature mixed and broadleaf woodland	v, l, b	l/m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.211 03/02/05 Corrennie Circle (Fig 12.4c)	dw 6no	r, rd, i	l/m	Limited screening by new scrub, broadleaf and riparian woodland	v, l, b	m/h	sub	Increased screening by mature scrub, broadleaf and riparian woodland	v, l, b	m	m/sub
3.212 04/02/05 Kwikfit Garage (Fig 12.4c)	c (garage) 1no	r, rd, u, i, d	l/m	Limited screening by new scrub, broadleaf and riparian woodland	v, l, b	m	sl	Increased screening by mature scrub, broadleaf and riparian woodland	v, l, b	l/m	sl
3.213 04/02/05 Cordyce School (Fig 12.4c)	o (school) 4no	r, rd	l/m	Limited screening by new scrub and riparian woodland	v, l, b	l/m	m	Increased screening by mature scrub and riparian woodland	v, l, b	l	sl
3.214 04/02/05 Mains of Dyce & Cottage (Fig 12.3e)	dw & o (farm) 2no	r, rd, u, i	m	Limited screening by new scrub and riparian woodland	v, l, b	m	m/sub	Increased screening by mature scrub and riparian woodland	v, l, b	m	m
3.215 04/02/05 Pitmedden Road Industrial Estate (Fig 12.3e)	i 1no	r, rd, i, d	l/m	Limited screening by new scrub and riparian woodland	rs, v, l, b	m/h	m/sub	Increased screening by mature scrub and riparian woodland	rs, v, l, b	m	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.216 04/02/05 Pitmedden Road (Fig 12.3e)	i 1no	r, rd, i	l/m	Limited screening by new scrub woodland	rs, v, l, b	m/h	m/sub	Increased screening by mature scrub woodland	rs, v, l, b	m	m
3.217 04/02/05 The Paddock & Ivanhoe (Fig 12.3e)	dw 2no	r, rd, i	l/m	Limited screening by new scrub woodland	v, l, b	l/m	sl	Increased screening by mature scrub woodland	v, l, b	l	sl
3.218 04/02/05 Pitmedden Road Industrial Estate (Fig 12.3e)	i 1no	r, rd, i	l	Limited screening by new scrub woodland	rs, v, l, b	m/h	m	Increased screening by mature scrub woodland	rs, v, l, b	m	m
3.219 04/02/05 Pitmedden Road Industrial Estate (Fig 12.3e)	i 1no	r, rd, i	l	Limited screening by new scrub woodland	rs, v, l, b	m/h	sl/m	Increased screening by mature scrub woodland	rs, v, l, b	m	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.220 04/02/05 Pitmedden Road Industrial Estate (Fig 12.3e)	i 8no	r, rd	l	Limited screening by new scrub, broadleaf and riparian woodland	rs, v, l, b	m/h	sl	Increased screening by mature scrub, broadleaf and riparian woodland	rs, v, l, b	m	sl
3.221 04/02/05 Tigh na Bruiach caravan park (Fig 12.3e)	c (caravan dealership) 1no	r, rd, i	l/m	Limited screening by new scrub and broadleaf woodland	rs, v, l, b, g	h	m	Increased screening by mature scrub and broadleaf woodland	rs, v, l, b, g	h	sl/m
3.222 28/04/05 Kirkton of Dyce (Fig 12.3e)	dw 1no	r, i	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b	h	sub	Partial screening by false cutting and mature scrub woodland	rs, v, l, b	h	sub
3.223 03/02/05 Place of Goval (Fig 12.3e)	dw & c 1no	r, i	h	Limited screening by new scrub woodland	rs, v, l, b, g	h	sub	Partial screening by mature scrub woodland	rs, v, l, b, g	h	m
3.224 03/02/05 Gardners Cottage (Fig 12.3e)	dw 2no	r, i	h	Limited screening by new scrub woodland	rs, v, l, b, g	h	sub	Partial screening by mature scrub woodland	rs, v, l, b, g	h	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.225 09/02/05 Goval House (Fig 12.3e)	c 2no	r, u, i	l	Limited screening by new scrub woodland	l, b	l/m	sl/m	Partial screening by mature scrub woodland	l, b	l/m	sl
3.226 03/02/05 Goval Farm & Cottages (Fig 12.3e)	dw & o (farm) 2no	r	h	Limited screening by new scrub woodland	rs, v, l, b, g	h	sub	Limited screening by mature scrub woodland	rs, v, l, b, g	h	sub
3.227 03/02/05 Goval Villa (Fig 12.3e)	dw 1no	r, i	h	Limited screening by new scrub woodland	rs, v, l, b, g	h	se	Increased screening by mature scrub woodland	rs, v, l, b, g	h	sub
3.228 20/05/05 Parkhill Cottage (Fig 12.3e)	dw 1no	r, rd	m	Limited screening by new riparian woodland	rs, v, l, b, nb, g	h	sub/se	Increased screening by mature riparian woodland	rs, v, l, b, nb, g	h	sub/se
3.229 09/05/06 <i>Unnamed property</i> (Fig 12.3e)	dw 1no	r, rd	m	Partial screening by existing scrub woodland	v, l, b, nb	h	sub	Partial screening by existing scrub woodland	v, l, b, nb	m/h	m/sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.230 03/02/05 Station House (Fig 12.3e)	dw 1no	r, rd, u	l/m	Limited screening by new mixed and broadleaf woodland	v, l, b, nb	m	m/sub	Partial screening by mature mixed and broadleaf woodland	v, l, b	l	m
3.231 08/05/06 The Bungalow (Fig 12.3e)	dw 1no	r, rd	m	Limited screening by existing mixed woodland	rs, v, nb	h	sub	Partial screening by existing mixed woodland enhanced by mature mixed woodland	v, nb	h	m/sub
3.232 03/02/05 The Cottage & Beech Cottage (Fig 12.3e)	dw 2no	r, rd, i	m	Limited screening by new scrub and riparian woodland	rs, v, l, b	m/h	sub	Partial screening by mature scrub and riparian woodland	rs, v, l, b	m	m/sub
3.233 03/02/05 Kinnaird (Fig 12.3e)	dw 1no	r, rd, u, i	m	Limited screening by new scrub and riparian woodland	rs, v, l, b, nb, g	h	sub	Limited screening by mature scrub and riparian woodland	rs, v, l, b, g	m/h	sub
3.234 03/02/05 Little Goval cottages (Fig 12.3e)	dw 7no	r, rd, u, i	m/h	Limited screening by new scrub and riparian woodland	rs, v, l, b, g	h	se	Partial screening by mature scrub and riparian woodland	rs, v, l, b, g	h	sub/se

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.235 03/02/05 North Lodge (Fig 12.3e)	dw 1no	r, rd, i	m	Limited screening by new scrub woodland and feathered tree planting	rs, v, l, b, g	h	se	Partial screening by mature scrub woodland and tree planting	rs, v, l, b, g	m/h	sub/se
3.236 03/02/05 Tanglebrook Hollow & Corsehillview (Fig 12.3e)	dw 5no	r, rd	m	Limited screening by new scrub woodland	rs, v, l, b	m/h	sub	Partial screening by mature scrub woodland	rs, v, l, b	l/m	m
3.237 02/02/05 Corsehill Croft (Fig 12.3e)	dw 1no	r, rd, u, d	m	Limited screening by new scrub and mixed woodland	v, b	l	sl	Partial screening by mature scrub and mixed woodland	v, b	l	sl
3.238 03/02/05 Corsehill Cottage (Fig 12.3e)	dw 1no	r, rd	h	Partial screening by false cutting and new scrub woodland	rs, v, l, b, nb, g	h	se	Significant screening by false cutting and mature scrub woodland	rs, v, l, b, nb, g	h	se
3.239 22/06/05 Meadowbank (Fig 12.3e)	dw & o (farm) 2no	r, rd, i	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b, nb, g	h	se	Partial screening by false cutting and mature scrub woodland	rs, v, l, b, nb, g	h	se

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.240 02/02/05 Stanedykes, Rose-lea & Birchville (Fig 12.3e)	dw 3no	r, rd	m	Limited screening by new mixed woodland	rs, v, l, b	m/h	se	Limited screening by mature mixed woodland	rs, v, l, b	m/h	se
3.241 02/02/05 Laurels (Fig 12.3e)	dw & o (stables) 2no	r, rd, u, i	m	Limited screening by false cutting, new scrub and mixed woodland	rs, v, l, b, g	h	se	Limited screening by false cutting, mature scrub and mixed woodland	rs, v, l, b, g	h	se
3.242 02/02/05 Newpark Cottage & Steading (Fig 12.3e)	o (farm) 1no	r, rd, u, i	m	Limited screening by false cutting, new scrub and mixed woodland	rs, v, l, b, g	h	sub	Increased screening by false cutting, mature scrub and mixed woodland	rs, v, l, b, g	h	sub
3.243 10/05/05 Waulkmill Farmhouse & South Waulkmill (Fig 12.3e)	dw & o (farm) 4no	r, rd, i	m/h	Partial screening by false cutting and new woodland	rs, v, l, b, g	h	sub	Increased screening by false cutting and mature woodland	rs, v, l, b, g	h	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.244 10/05/05 Meadowhead Cottage & Meadowhead (Fig 12.3e)	dw 2no	r, rd, i	m/h	Partial screening by false cutting and new scrub woodland	rs, v, l, b, g	h	se	Increased screening by false cutting and mature scrub woodland	rs, v, l, b, g	h	se
3.245 20/05/05 Waulkmill Croft (Fig 12.3e)	dw 1no	r	l/m	Partial screening by false cutting and new scrub woodland	rs, v, l, g	m	se	Increased screening by false cutting and mature scrub woodland	rs, v, l, g	m	sub
3.246 03/02/05 Bridgehaugh (Fig 12.3e)	dw 1no	r	h	Limited screening by false cutting and new scrub woodland	rs, v, l, b, g	h	sub	Partial screening by false cutting and mature scrub woodland	rs, v, l, b, g	h	sub
3.247 03/02/05 Stramash (Fig 12.3e)	dw 1no	r	h	Limited screening by false cutting and new scrub woodland	rs, v, l, b, g	h	sub	Partial screening by false cutting and mature scrub woodland	rs, v, l, b, g	h	sub
3.248 03/02/05 Hill of Goval (Fig 12.3e)	dw & c 2no	r	h	Limited screening by new scrub and broadleaf woodland	rs, v, l, b, g	h	m	Partial screening by mature scrub and broadleaf woodland	rs, v, l, b, g	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.249 03/02/05 Norwood (Fig 12.3e)	dw 1no	r, rd	h	Limited screening by new scrub and broadleaf woodland	rs, v, l, b, g	h	sub	Partial screening by mature scrub and broadleaf woodland	rs, v, l, b, g	m/h	m
3.250 09/02/05 Hillhead (Fig 12.3f)	dw 1no	r, u, i	m	Limited screening by new mixed and scrub woodland	rs, v, l, b, g	h	sub	Partial screening by mature mixed and scrub woodland	rs, v, l, b, g	m	m/sub
3.251 09/02/05 Hillhead Steading (Fig 12.3f)	dw 1no	r, u, i	m	Limited screening by new mixed and scrub woodland	rs, v, l, b, g	m	m	Partial screening by mature mixed and scrub woodland	rs, v, l, b, g	l	sl
3.252 09/02/05 Logiemuir (Fig 12.3f)	dw 1no	r, u, i	h	Limited screening by new mixed and scrub woodland	rs, v, l, b, g	h	sub	Partial screening by mature mixed and scrub woodland	rs, v, l, b, g	h	m/sub
3.253 03/02/05 Burnside (Fig 12.3f)	dw 1no	r	h	Limited screening by new scrub woodland	rs, v, l, b	l/m	sl	Partial screening by mature scrub woodland	rs, v, l, b	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.254 03/02/05 Muiryfold House (Fig 12.3f)	dw 2no	r	h	Limited screening by new scrub and mixed woodland	v, l	l/m	sl	Partial screening by mature scrub and mixed woodland	v, l	l	sl
3.255 03/02/05 Rowanlea (Fig 12.3f)	dw 1no	r	h	Limited screening by new scrub and mixed woodland	v, l	l/m	sl	Partial screening by mature scrub and mixed woodland	v, l	l	sl
3.256 09/02/05 Causeway-end (Fig 12.3f)	dw 1no	r	m	Limited screening by new mixed woodland	rs, v	l	sl	Significant screening by mature mixed woodland	rs, v	l	n
3.257 03/02/05 Newmachar Golf Course Club House (Fig 12.3f)	c 1no	r	l/m	Limited screening by new scrub and mixed woodland	v, l	l	sl	Partial screening by mature scrub and mixed woodland	v, l	l	n
3.258 03/02/05 Croftdene (Fig 12.3f)	dw 1no	r	h	Limited screening by new scrub and mixed woodland	v, l	l	sl	Partial screening by mature scrub and mixed woodland	v, l	l	n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.259 03/02/05 Wellesley (Fig 12.3f)	dw 2no	r	h	Limited screening by new scrub woodland	v, l	l	sl	Increased screening by mature scrub woodland	v, l	l	n
3.260 03/02/05 Ord of Elrick (Fig 12.3f)	dw 1no	r	h	Limited screening by new scrub and mixed woodland	v, l	l	sl	Increased screening by mature scrub and mixed woodland	v, l	l	n
3.261 03/02/05 Kinmundy Cottage (Fig 12.3f)	dw 1no	r	h	Limited screening by new scrub and mixed woodland	v, l, b, g	l	sl	Partial screening by mature scrub and mixed woodland	v, l, b, g	l	n
3.262 03/02/05 Kinnord Cottage (Fig 12.3f)	dw 1no	r	h	Limited screening by new scrub and mixed woodland	rs, v, l, b, g	m	sl/m	Partial screening by mature scrub and mixed woodland	rs, v, l, b, g	l/m	sl
3.263 03/02/05 Kinmundy (Fig 12.3f)	dw & o (farm) 1no	r	h	Limited screening by new scrub woodland and drystone walling	v, l	l	sl	Partial screening by mature scrub woodland and drystone walling	v, l	l	n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.264 03/02/05 Red Oak Steading & Swailend Farm House (Fig 12.3f)	dw 2no	r	h	None	v, l	l/m	sl	None	v, l	l	sl
3.265 03/02/05 Upper Tack Croft & Delmore House (Fig 12.3f)	dw 2no	r	h	Limited screening by new scrub woodland	v, l	l	n	Increased screening by mature scrub woodland	v, l	l	n
3.266 03/02/05 Rosehall (Fig 12.3f)	dw 1no	r	h	Limited screening by new scrub and mixed woodland	v, l	l	n	Partial screening by mature scrub and mixed woodland	v, l	l	n
3.267 03/02/05 Buckie (Fig 12.3f)	dw & o (farm) 1no	r	h	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b, g	m	n	Increased screening by false cutting and mature scrub and mixed woodland	rs, v, l, b, g	l	n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.268 03/02/05 Middle Tack (Fig 12.3f)	dw 1no	r	h	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b, g	m	n	Increased screening by false cutting and mature scrub and mixed woodland	rs, v, l, b, g	l	n
3.269 03/02/05 Upper Tack (Fig 12.3f)	dw 1no	r	h	Limited screening by false cutting and new scrub and mixed woodland	v, l	l	n	Partial screening by false cutting and mature scrub and mixed woodland	v, l	l	n
3.270 28/01/05 Hillhead Farm (Fig 12.3f)	o (farm) 1no	r, rd, u, i	m	Limited screening by false cutting and new mixed woodland	rs, v, l, b, g	h	m	Partial screening by false cutting and mature mixed woodland	rs, v, l, b, g	m/h	sl
3.271 28/01/05 Achreen (Fig 12.3f)	dw 1no	r, rd, i	m	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b	h	m	Partial screening by false cutting and mature scrub and mixed woodland	rs, v, l, b	m	sl
3.272 28/01/05 Drumligair House, North & South Steading (Fig 12.3f)	dw 3no	r, rd, i	m	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b, g	h	m	Partial screening by false cutting and mature scrub and mixed woodland	rs, v, l, b, g	h	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.273 28/01/05 Bona Vista (Fig 12.3f)	dw 1no	r, rd, u, i	m	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b, g	h	m	Partial screening by false cutting and mature scrub and mixed woodland	rs, v, l, b, g	h	m
3.274 28/01/05 Burnside (Fig 12.3f)	dw 1no	r, rd, i	m	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b, g	m	sl	Partial screening by false cutting and mature scrub and mixed woodland	rs, v, l, b, g	m	sl
3.275 03/02/05 Boghead (Fig 12.3f)	dw 1no	r	h	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b, g	m	m	Partial screening by false cutting and mature scrub and mixed woodland	rs, v, l, b, g	l/m	sl
3.276 03/02/05 Stoneyburn (Fig 12.3f)	dw 1no	r	h	Limited screening by false cutting and new scrub and mixed woodland	rs, v, l, b, g	l/m	sl	Partial screening by false cutting and mature scrub and mixed woodland	rs, v, l, b, g	l	sl
3.277 03/02/05 Greenheads (Fig 12.3f)	o (farm) 1no	r	l	Limited screening by new mixed woodland	v, l, b, g	l	sl	Partial screening by mature mixed woodland	v, l, b, g	l	n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.278 03/02/05 Greenheads Croft (Fig 12.3f)	dw 1no	r	h	Limited screening by new mixed woodland	v, l, b, g	l	sl	Significant screening by mature mixed woodland	v, l, b, g	l	n
3.279 03/02/05 Hillview House, Cloverfield, Seronok & Sunnyside (Fig 12.3f)	dw 4no	r	h	Limited screening by false cutting and new scrub and mixed woodland	v, l, b, g	l/m	sl	Partial screening by false cutting and mature scrub and mixed woodland	v, l, b, g	l	sl
3.280 03/02/05 Fairways (Fig 12.3f)	dw 1no	r	h	Limited screening by false cutting and new mixed and native woodland	v, l, b, g	l/m	sl	Partial screening by false cutting and mature mixed and native woodland	v, l, b, g	l	sl
3.281 03/02/05 Home Farm Kinmundy (Fig 12.3f)	dw 1no	r	h	Limited screening by new mixed woodland	rs, v, l, b	l	sl	Partial screening by mature mixed woodland	rs, v, l, b	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.282 03/02/05 Brokenwynd Farm (Fig 12.3f)	dw 1no	r, rd	h	Limited screening by new mixed woodland	rs, v, l, g	l	sl	Partial screening by mature mixed woodland	rs, v, l, g	l	sl
3.283 03/02/05 Plainwells (Fig 12.2c)	dw 1no	r, u, i	h	Limited screening by new mixed woodland	v, l, b	l/m	sl	Partial screening by mature mixed woodland	v, l, b	l	sl
3.284 03/02/05 Stoneyladies & Road Side (Fig 12.2c)	dw 4no	r	h	Limited screening by new mixed woodland	v, l, b	l	sl	Partial screening by mature mixed woodland	v, l, b	l	n
3.285 03/02/05 Standryford (Fig 12.2c)	dw 1no	r	h	Limited screening by new mixed woodland	v, l, b	l/m	sl	Partial screening by mature mixed woodland	v, l, b	l	sl
3.286 03/02/05 Old Town of Brownhills (Fig 12.2c)	dw 1no	r	h	Limited screening by new mixed woodland	v, l, b	l	sl	Partial screening by mature mixed woodland	v, l, b	l	n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.287 03/02/05 Longford (Fig 12.2c)	dw 1no	r	h	Limited screening by new mixed woodland	v, l, b	l/m	sl	Partial screening by mature mixed woodland	v, l, b	l	sl
3.288 03/02/05 Blackbraes (Fig 12.2c)	dw 1no	r	h	Limited screening by new mixed woodland	v, l, b	l/m	sl	Partial screening by mature mixed woodland	v, l, b	l	sl
3.289 03/02/05 Broombank (Fig 12.2c)	dw 1no	r	h	Limited screening by new mixed woodland	v, l, b	l	sl	Partial screening by mature mixed woodland	v, l, b	l	n
3.290 03/02/05 Heathbank & Ashley Cottage (Fig 12.2c)	dw & c 3no	r	h	Limited screening by new mixed woodland	v, l, b	l	sl	Partial screening by mature mixed woodland	v, l, b	l	n
3.291 03/02/05 Mill Pond (Fig 12.2c)	dw & c 3no	r	h	Limited screening by new mixed woodland	v, l, b	l	sl	Partial screening by mature mixed woodland	v, l, b	l	n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.292 03/02/05 Hillbrae Way (Fig 12.2c)	dw & c 12no	r, u, i	h	Limited screening by new mixed woodland	v, l, g	l	sl	Partial screening by mature mixed woodland	v, l, g	l	n
3.293 03/02/05 Lower Rannieshill Farm , Learigg & Brimmond-view (Fig 12.2c)	dw & o (farm) 4no	r, u, i	h	Limited screening by new mixed woodland	rs, v, l, b, g	l	sl	Partial screening by mature mixed woodland	rs, v, l, b, g	l	n
3.294 02/02/05 Bridlefolds (Fig 12.2c)	dw 1no	r	h	Limited screening by new mixed woodland and drystone walling	rs, v, l, b, g	l	sl	Partial screening by mature mixed woodland and drystone walling	rs, v, l, b, g	l	n
3.295 02/02/05 Hillhead Steading & Farmhouse (Fig 12.3g)	dw 2no	r, rd, u, i	h	Limited screening by new scrub woodland and drystone walling	rs, v, l, b	h	sub	Partial screening by mature scrub woodland and drystone walling	rs, v, l, b	m	m/sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.296 02/02/05 Lochgreens Cottage (Fig 12.3g)	dw 1no	r, u, i	m	Limited screening by new feathered tree lines and riparian woodland and drystone walling	rs, v, b	h	sub/se	Increased screening by mature tree lines and riparian woodland and drystone walling	rs, v, b	m/h	sub
3.297 02/02/05 Lochgreens Farm (Fig 12.3g)	dw 1no	r, u, i	m	Limited screening by new tree lines and riparian woodland and drystone walling	rs, v, l, b, nb	h	sub	Increased screening by mature tree lines and riparian woodland and drystone walling	rs, v, l, b, nb	m/h	m/sub
3.298 02/02/05 Lochgreens Farm (cottage & office) (Fig 12.3g)	dw & o (office) 2no	r, u, i	m	Limited screening by new tree lines and riparian woodland and drystone walling	rs, v, l, b, nb	h	se	Increased screening by mature tree lines and riparian woodland and drystone walling	rs, v, l, b, nb	m/h	sub/se
3.299 10/08/05 Lochgreens Cottage (Fig 12.3g)	dw 1no	r	h	Partial screening by a false cutting and new feathered tree lines	rs, v, b, nb	h	se	Partial screening by a false cutting and mature tree lines	rs, v, b, nb	h	se

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.300 02/02/05 Westacre, Clewiston, Rowanvilla, Capalaba & other (Fig 12.3g)	dw 5no	r, rd, u, i, d	m	Limited screening by false cutting, new feathered tree lines and mixed woodland and drystone walling	rs, v, b	h	sub	Partial screening by false cutting, mature tree lines and mixed woodland and drystone walling	rs, v, b	h	m
3.301 02/02/05 Parkhill Nursery (Fig 12.3g)	c (garden centre) 1no	r, rd, u, i, d	l/m	Limited screening by new scrub and mixed woodland	rs, v, b	m/h	sl/m	Partial screening by mature scrub and mixed woodland	rs, v, b	l/m	sl
3.302 02/02/05 Hillcrest & The Emmarick (Fig 12.3g)	dw 2no	r, rd, u, d	m	Limited screening by new scrub and mixed woodland	rs, v, b	l/m	sl/m	Partial screening by mature scrub and mixed woodland	rs, v, b	l	sl
3.303 02/02/05 Back Lea (Fig 12.3g)	dw 1no	r, rd, d	m	Limited screening by new scrub and mixed woodland and feathered tree lines	v	l	sl	Partial screening by mature scrub and mixed woodland and tree lines	v	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.304 02/02/05 Denhead (Fig 12.3g)	o (farm) 1no	r, rd, u, d	m	Limited screening by new feathered tree lines, scrub and mixed woodland	rs, v, b	m	m	Partial screening by mature tree lines, scrub and mixed woodland	rs, v, b	m	m
3.305 28/01/05 Locheye (Fig 12.3g)	dw 1no	r, rd, i	m	Limited screening by new feathered tree lines, scrub and mixed woodland	v, b	m	m	Partial screening by mature tree lines, scrub and mixed woodland	v, b	m	m
3.306 03/02/05 Cumbrae & Loch Head (Fig 12.3g)	dw & o (farm) 2no	r, rd, u, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m	m	Partial screening by mature scrub woodland and drystone walling	v, l, b	l/m	m
3.307 03/02/05 South Allans (Fig 12.3g)	dw 1no	r, u, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m	m	Partial screening by mature scrub woodland and drystone walling	v, l, b	l/m	sl/m
3.308 03/02/05 Hillhead (Fig 12.3g)	dw & o (farm) 2no	r, rd, u, i	m	Limited screening by new scrub woodland and drystone walling	rs, v, l, b	h	sub	Partial screening by mature scrub woodland and drystone walling	rs, v, l, b	h	m/sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.309 03/02/05 Hillhead Cottages (Fig 12.3g)	dw 1no	r, rd, u, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	h	m	Partial screening by mature scrub woodland and drystone walling	v, l, b	m/h	sl/m
3.310 03/02/05 Pineview (Fig 12.3g)	dw & o (farm) 1no	r, rd, u, i	l/m	Limited screening by new scrub woodland and drystone walling	v, l, b	m/h	sl	Partial screening by mature scrub woodland and drystone walling	v, l, b	m	sl
3.311 03/02/05 Birkhill (Fig 12.3g)	dw & o (farm) 1no	r, rd, u, i	m	Limited screening by new scrub woodland and drystone walling	rs, v, b	m/h	m	Partial screening by mature scrub woodland and drystone walling	rs, v, b	m/h	sl/m
3.312 28/01/05 Hazeldene & Woodlands (Fig 12.3g)	dw 3no	r, rd, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m/h	m	Partial screening by mature scrub woodland and drystone walling	v, l, b	m	sl/m
3.313 03/02/05 Middle Bodachra (Fig 12.2d)	dw 2no	r, u, i	m/h	Limited screening by new scrub woodland and drystone walling	v, l, b	m	m/sub	Partial screening by mature scrub woodland and drystone walling	v, l, b	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.314 03/02/05 Lower Bodachra (Fig 12.2d)	dw & o (farm) 2no	r, rd, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m	m/sub	Partial screening by mature scrub woodland and drystone walling	v, l, b	l/m	m
3.315 03/02/05 Bridgefield & other (Fig 12.2d)	dw 2no	r, rd, u, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m	m/sub	Partial screening by mature scrub woodland and drystone walling	v, l, b	l/m	m
3.316 03/02/05 Dunrovin (Fig 12.2d)	dw & o (stables & kennel) 2no	r, u, i	l/m	Limited screening by new scrub woodland and drystone walling	v, l, b	l/m	m	Partial screening by mature scrub woodland and drystone walling	v, l, b	l	sl
3.317 03/02/05 Mains of Grandhome & Hunters Cottage (Fig 12.2b)	dw & o (farm) 2no	r, u, i	l/m	Limited screening by new scrub woodland and drystone walling	v, l, b	l	sl	Partial screening by mature scrub woodland and drystone walling	v, l, b	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.318 03/02/05 Cothill & Cothill Cottages (Fig 12.2d)	dw & o (farm) 3no	r, rd, u, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m	m	Partial screening by mature scrub woodland and drystone walling	v, l, b	l	sl/m
3.319 28/01/05 Bodachra (Fig 12.2d)	o (farm) 1no	r, rd, i, d	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m/h	m/sub	Partial screening by mature scrub woodland and drystone walling	v, l, b	m/h	m
3.320 28/01/05 Perwinnes Cottages (Fig 12.2d)	dw 2no	r, rd, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m	m/sub	Partial screening by mature scrub woodland and drystone walling	v, l, b	l/m	m
3.321 28/01/05 Perwinnes (Fig 12.2d)	o (farm) 1no	r, rd, i	m	Limited screening by new scrub woodland and drystone walling	v, l, b	m	m/sub	Partial screening by mature scrub woodland and drystone walling	v, l, b	l/m	m
3.322 27/01/05 Leuchlands Croft (Fig 12.3g)	dw 1no	r, rd, i	m	Limited screening by new scrub woodland and drystone walling	rs, v, l, b, g	h	sub	Partial screening by mature scrub woodland and drystone walling	rs, v, l, b, g	h	sub

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.323 27/01/05 Newtonhill (Fig 12.3g)	dw 1no	r	m	Limited screening by new scrub woodland and drystone walling	rs, v, b	h	m/sub	Increased screening by mature scrub woodland and drystone walling	rs, v, b	l/m	m
3.324 27/01/05 Alandale Cottage (Fig 12.3g)	dw 1no	r	m	Limited screening by new scrub woodland and drystone walling	rs, v, b	h	sl	Partial screening by mature scrub woodland and drystone walling	rs, v, b	m/h	sl
3.325 27/01/05 Backhill of Cranbog (Fig 12.3g)	dw 2no	r	m/h	Partial screening by new scrub woodland and drystone walling	rs, v, b	h	m	Partial screening by mature scrub woodland and drystone walling	rs, v, b	m/h	m
3.326 27/01/05 Plodhill (Fig 12.4d)	dw 1no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	rs, v, b	m	m	Partial screening by mature heavy standard trees and drystone walling	rs, v, b	l/m	sl/m
3.327 27/01/05 Parkview & The Firs (Fig 12.4d)	dw 2no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	rs, v, b	h	m/sub	Partial screening by mature heavy standard trees and drystone walling	rs, v, b	m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.328 27/01/05 Kirkhill Road (Fig 12.4d)	dw 8no	r, rd, u	m	Limited screening by new heavy standard trees and drystone walling	v, b	l	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.329 27/01/05 Kirkhill Gardens (Fig 12.4d)	dw 3no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.330 27/01/05 Kirkhill Gardens (Fig 12.4d)	dw 4no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	m	Partial screening by mature heavy standard trees and drystone walling	v, b	l/m	sl/m
3.331 27/01/05 Kirkhill Way (Fig 12.4d)	dw 2no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.332 27/01/05 Kirkhill Way (Fig 12.4d)	dw 2no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	m	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.333 27/01/05 Kirkhill Way (Fig 12.4d)	dw 1no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.334 27/01/05 Kirkhill Way (Fig 12.4d)	dw 4no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	m	sl/m	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.335 27/01/05 Gourdie Park (Fig 12.4d)	dw 1no	r, rd	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	sl/m	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.336 27/01/05 Gourdie Park (Fig 12.4d)	dw 1no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	rs, v, b	l/m	sl	Partial screening by mature heavy standard trees and drystone walling	rs, v, b	l	sl
3.337 27/01/05 Tamara & Gourdie Park Farm (Fig 12.4d)	dw 3no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	rs, v, b	m	m	Partial screening by mature heavy standard trees and drystone walling	rs, v, b	l/m	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.338 27/01/05 Athlyn, Kyrena & Gourdie Park (Fig 12.4d)	dw 5no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	rs, v, b	m/h	m	Partial screening by mature heavy standard trees and drystone walling	rs, v, b	l/m	sl
3.339 27/01/05 Gourdie Park (Fig 12.4d)	dw 3no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	m	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.340 27/01/05 Lesmore (Fig 12.4d)	dw 1no	r	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	sl/m	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.341 08/05/06 New housing (Fig 12.4d)	dw 5no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v	l	sl	Partial screening by mature heavy standard trees and drystone walling	v	l	sl
3.342 27/01/05 Potterton Post Office (Fig 12.4d)	c 1no	r, rd, i	l	Limited screening by new heavy standard trees and drystone walling	v, b	l	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.343 27/01/05 The Nouk (Fig 12.4d)	dw 2no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	m	m	Partial screening by mature heavy standard trees and drystone walling	v, b	m	m
3.344 27/01/05 Viewfield (Fig 12.4d)	o (b & b) 1no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	m	m	Partial screening by mature heavy standard trees and drystone walling	v, b	m	m
3.345 27/01/05 Panmure Gardens (Fig 12.4d)	dw 3no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	m	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l/m	sl/n
3.346 27/01/05 Panmure Gardens (Fig 12.4d)	dw 2no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	m	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l/m	sl/n
3.347 27/01/05 Parkview (Fig 12.4d)	dw 1no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.348 27/01/05 Panmure Gardens (Fig 12.4d)	dw 3no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.349 26/01/05 South Manse (Fig 12.4d)	dw 1no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	m	m	Partial screening by mature heavy standard trees and drystone walling	v, b	l/m	m
3.350 26/01/05 The Auld Kirk, Potterton (Fig 12.4d)	o (church) 1no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.351 26/01/05 Lyneske (Fig 12.4d)	dw 1no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.352 26/01/05 Manse Road & Denhead Crescent (Fig 12.4d)	dw 5no	r, rd, u, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	m	m	Partial screening by mature heavy standard trees and drystone walling	v, b	l/m	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.353 26/01/05 Laingseat Road (Fig 12.4d)	dw 1no	r, rd, u	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	sl	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.354 26/01/05 Laingseat Road (Fig 12.4d)	dw 9no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	rs, v, l, b	m/h	m/sub	Partial screening by mature heavy standard trees and drystone walling	rs, v, l, b	m	m
3.355 26/01/05 Laingseat Road (Fig 12.4d)	o (commu nity centre) 1no	r, rd, u, i	l/m	Limited screening by new heavy standard trees and drystone walling	v, b	l	sl/m	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.356 27/01/05 Sparhillock & Hamlea (Fig 12.4d)	dw 2no	r, rd, i	m	Limited screening by new heavy standard trees and drystone walling	v, b	l/m	m	Partial screening by mature heavy standard trees and drystone walling	v, b	l	sl
3.357 27/01/05 Gourdieburn industrial buildings (Fig 12.4d)	i 1no	r, rd	l	Limited screening by new scrub woodland and heavy standard trees and drystone walling	rs, v, b	m	sl/m	Partial screening by mature scrub woodland and heavy standard trees and drystone walling	rs, v, b	m	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.358 27/01/05 Gourdieburn (Fig 12.4d)	dw 1no	r, rd	m	Limited screening by new scrub woodland and heavy standard trees and drystone walling	rs, v, b	m	sub	Partial screening by mature scrub woodland and heavy standard trees and drystone walling	rs, v, b	m	m
3.359 27/01/05 Gourdieburn Bungalow (Fig 12.3h)	dw 1no	r, rd, u, i, s	m	Limited screening by new scrub woodland and heavy standard trees	rs, v, b	m/h	sub	Partial screening by mature scrub woodland and heavy standard trees	rs, v, b	m/h	m/sub
3.360 27/01/05 Gourdieburn Cottage (Fig 12.3h)	dw 1no	r	m	Limited screening by new scrub woodland and heavy standard trees	v, b	m	m	Partial screening by mature scrub woodland and heavy standard trees	v, b	l/m	sl/m
3.361 02/02/05 Laingseat Steading (Fig 12.3h)	dw 2no	r	h	Limited screening by new scrub woodland and heavy standard trees	rs, v, l, b, g	m	sl/m	Partial screening by mature scrub woodland and heavy standard trees	rs, v, l, b, g	l	sl
3.362 02/02/05 Laingseat Cottage (Fig 12.3h)	dw 1no	r	h	Limited screening by new scrub woodland and heavy standard trees	rs, v, l, b, g	h	m/sub	Partial screening by mature scrub woodland and heavy standard trees	rs, v, l, b, g	m/h	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.363 02/02/05 Laingseat Farm (Fig 12.3h)	dw 1no	r	h	Limited screening by new scrub woodland and heavy standard trees	rs, v, l, b, g	h	sub	Partial screening by mature scrub woodland and heavy standard trees	rs, v, l, b, g	m/h	m
3.364 27/01/05 Advocates Row (Fig 12.3h)	dw 4no	r, rd, i, s	m	Limited screening by new scrub woodland and heavy standard trees	rs, v, l, b, g	h	sub	Partial screening by mature scrub woodland and heavy standard trees	rs, v, l, b, g	h	m/sub
3.365 27/01/05 Cranfield (Fig 12.3h)	o (farm) 1no	r, rd, i	l	Limited screening by new riparian woodland and heavy standard trees	rs, v, l, b, g	h	m	Partial screening by mature riparian woodland and heavy standard trees	rs, v, l, b, g	h	sl/m
3.366 27/01/05 Cranfield Lodge (Fig 12.3h)	dw 1no	r, rd	m	Limited screening by new riparian woodland and heavy standard trees	rs, v, b	h	sub	Partial screening by mature riparian woodland and heavy standard trees	rs, v, b	h	m/sub
3.367 27/01/05 Muirside of Mundurno & Newton of Mundurno (Fig 12.3h)	dw 2no	r, rd, i	m	Limited screening by new riparian woodland and heavy standard trees	rs, v, l, b	h	m/sub	Partial screening by mature riparian woodland and heavy standard trees	rs, v, l, b	m/h	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.368 02/02/05 Hillhead (Fig 12.3h)	dw 2no	r, rd, i	m	Limited screening by new riparian woodland and heavy standard trees	rs, v, l, b, g	m/h	m/sub	Partial screening by mature riparian woodland and heavy standard trees	rs, v, l, b, g	m	sl/m
3.369 22/06/05 Rose Cottage & Holmeview Cottage	dw 2no					Receptor removed due to design change				Receptor removed due to design change	
3.371 02/02/05 Middleton East Steading (Fig 12.3h)	dw 2no	r, rd	h	Limited screening by existing coniferous shelterbelt trees and new scrub woodland and drystone walling	rs, v, l, b, nb, g	h	sub	Partial screening by existing coniferous shelterbelt trees and mature scrub woodland and drystone walling	rs, v, l, b, nb, g	m	m
3.372 02/02/05 Middleton West Steading & Middleton Farm (Fig 12.3h)	dw 2no	r	h	Limited screening by existing coniferous shelterbelt trees and new scrub woodland and drystone walling	rs, v, b, nb, g	m	m	Partial screening by existing coniferous shelterbelt trees and mature scrub woodland and drystone walling	rs, v, b, nb, g	l	sl

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.373 02/02/05 Four Winds (Fig 12.3h)	dw 1no	r	h	Limited screening by new scrub and riparian woodland and drystone walling	rs, v, l, b, nb, g	l/m	sub	Partial screening by mature scrub and riparian woodland and drystone walling	rs, v, l, b, nb, g	l	m
3.374 02/02/05 Middlefield (Fig 12.3h)	dw 1no	r, u	h	Limited screening by new scrub and riparian woodland and drystone walling	rs, v, l, b, g	h	sub	Partial screening by mature scrub and riparian woodland and drystone walling	rs, v, l, b, g	h	m
3.375 14/09/05 Wester Hatton (Fig 12.3h)	dw 1no	r, rd, sea	l/m	Limited screening by false cutting and new scrub woodland	v, l	m	m/sub	Increased screening by false cutting and mature scrub woodland	v, l	l	sl
3.376 14/09/05 Wester Hatton Cottages (Fig 12.3h)	dw 2no	r, rd, i	l	Limited screening by false cutting and new scrub woodland	rs, v, l, b, nb, g	m/h	m/sub	Partial screening by false cutting and mature scrub woodland	rs, v, l, b, nb, g	m/h	m/sub
3.377 22/06/05 The Gables (Fig 12.3h)	dw 1no	r, rd	m	Limited screening by false cutting and new scrub woodland	side road	m	sub	Partial screening by false cutting and mature scrub woodland	side road	l/m	m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.378 26/01/05 Blackdog Heights (Fig 12.3h)	o (b & b) 1no	r, rd, u, l	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b	h	sub	Partial screening by false cutting and mature scrub woodland	rs, v, l, b	m	m
3.379 26/01/05 Blackdog Industrial Centre (Fig 12.3h)	i 1no	r, rd, i	l	Partial screening by false cutting and new scrub woodland	rs, v, l, b	l/m	m	Partial screening by false cutting and mature scrub woodland	rs, v, l, b	l	m
3.380 14/09/05 Strabathie Cottages (Fig 12.3h)	dw 2no	r, rd	l	None	rs, v, l, b, g	m	sl/m	None	rs, v, l, b, g	m	sl/m
3.381 08/05/06 Seaton Cottage & Anfield (Fig 12.3h)	dw 2no	r, rd, i	m	Limited screening by new scrub woodland	rs, v, g, ponds	l	sl	Increased screening by mature scrub	rs, v, g	l	n
3.382 26/01/05 Blackdog Croft (Fig 12.3h)	dw 1no	r, rd, i	m	Limited screening by new scrub woodland and heavy standard trees	rs, v, l, b, g	h	sl/m	Partial screening by mature scrub woodland and heavy standard trees	rs, v, l, b, g	h	sl/m

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.383 26/01/05 Roseden & Hareburn Terrace (Fig 12.3h)	dw 2no	r, rd	m	Limited screening by false cutting and new scrub and riparian woodland	rs, v, l, b	m	sl/m	Partial screening by false cutting and mature scrub woodland	rs, v, l, b	m	sl/m
3.384 26/01/05 Hareburn Road (Fig 12.3h)	dw 6no	r, rd, i	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b, g	m	m	Partial screening by false cutting and mature scrub woodland	rs, v, l, b, g	m	sl/m
3.385 08/05/06 Hareburn Road (Fig 12.3h)	dw 4no	r, rd	m	Limited screening by false cutting and new scrub woodland	rs, v	l	sl/n	Partial screening by false cutting and mature scrub woodland	rs, v	l	n
3.386 26/01/05 Hareburn Terrace (Fig 12.3h)	dw 2no	r, rd, d	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b, g	h	sl	Partial screening by false cutting and mature scrub woodland	rs, v, l, b, g	m/h	n
3.387 26/01/05 Golf View (Fig 12.3h)	dw 1no	r, rd, d	m	Limited screening by false cutting and new scrub woodland	rs, v, l, b, g	m	sl/n	Partial screening by false cutting and mature scrub woodland	rs, v, l, b, g	l/m	n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.388 02/02/05 Tarbothill Farm (Fig 12.2d)	dw & o (farm) 5no	r, l/fill	h	None	v, l, b, g	l	sl	None	v, l, b, g	l	sl
3.389 20/05/05 Haywood (Fig 12.3a)	dw 1no	r, rd, u	m	Partial screening by false cutting, new feathered tree lines and scrub woodland and drystone walling	rs, v, l, b, g	m	m	Increased screening by false cutting, mature tree lines and scrub woodland and drystone walling	rs, v, l, b, g	l	sl/m
3.390 20/04/05 Dykeside Cottage & Dykeside Steading (Fig 12.3a)	dw 2no	r, rd, u	m	Partial screening by false cutting, new feathered tree lines and scrub woodland and drystone walling	rs, v, l, b, g	m/h	se	Increased screening by false cutting, mature tree lines and scrub woodland and drystone walling	rs, v, l, b, g	m	sub
3.391 21/05/07 Hareburn Road (Fig 12.3h)	dw 4no	r, i	m	Limited screening by existing woodland and new mixed woodland planting	v, l	l	sl	Increased screening by existing woodland and mature mixed woodland planting	none	l	n
3.392 21/05/07 Hareburn Road (Fig 12.3h)	dw 4no	r, i	m	Limited screening by existing woodland and new mixed woodland planting	rs, v, l	l/m	sl/m	Partial screening by existing woodland and mature mixed woodland planting	rs, v, l	l	sl/n

Aberdeen Western Peripheral Route
Environmental Statement Appendices 2007
Part B: Northern Leg
Appendix A12.1– Visual Receptors - Buildings

Receptor No, date assessed, house or road name and figure No. where shown	Type and Number	Existing view	Sensitivity of receptor	Description of mitigation measures Winter Year of Opening (WYO)	Elements of proposed scheme visible WYO	Magnitude of change WYO	Impact WYO	Description of mitigation measures 15 years after opening	Elements of proposed scheme visible Summer 15yrs	Magnitude of change Summer 15 yrs	Impact Summer 15 yrs
3.393 21/05/07 Hareburn Road (Fig 12.3h)	dw 6no	r, i	m	Limited screening by existing woodland and new mixed woodland planting	v, l	l	sl	Partial screening by existing woodland and mature mixed woodland planting	v, l	l	n
3.394 21/05/07 Hareburn Road (Fig 12.3h)	dw 2no	u, i	m	Limited screening by new mixed woodland planting	rs, v, l	l	sl	Partial screening by mature mixed woodland planting	rs, v, l	l	n
3.395 21/05/07 Hareburn Road (Fig 12.3h)	dw 5no	u, i	m	Limited screening by existing woodland and new mixed woodland planting	rs, v, l	l	sl/n	Partial screening by existing woodland and mature mixed woodland planting	rs, v, l	l	n
3.396 21/05/07 Hareburn Road (Fig 12.3h)	dw 2no	u, i	m	Limited screening by new mixed woodland planting	v, l	l	sl	Partial screening by mature mixed woodland planting	v, l	l	n
3.397 21/05/07 Blackdog Steading (Fig 12.3h)	dw 2no	r, i	m	Limited screening by existing woodland and new mixed woodland planting	rs, v, l	l	sl/n	Increased screening by existing woodland and mature mixed woodland planting	rs, v, l	l	n