

Legend

- Proposed scheme (DMRB Stage 3 Design)
- SuDS
- 600m Calculation area
- Low Noise Road Surfacing (LNRS)
- Health and education buildings
- Baseline noise monitoring locations - sample receptor

Do-Minimum Baseline Year Vs Do-Something Future Assessment Year with Mitigation (LA10,18hr Free-field) First Floor
x = noise level

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 < x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

0	NOV 2017	ES Publication	KAJCr	SG	DP	AJG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Check/Rev'd	Appr'd	

JACOBS
 95 Bothwell Street, Glasgow, G2 7HX, UK.
 Tel: +44(0)141 243 8000
 www.jacobs.com


Client
TRANSPORT SCOTLAND
 COBHIDHAL ALBA



Project
A9 DUALLING
 PERTH TO INVERNESS
 Killiecrankie to Glen Garry

Drawing title
Environmental Statement
Noise Level Difference Contour Map
(First Floor) Do-Minimum Baseline Year Vs
Do-Something Future Assessment Year
(with Mitigation) Sheet 1 of 8

Drawing Status	FINAL
Scale	1:10,000 @ A3 DO NOT SCALE
Jacobs No.	B2140005
BIM No.	
Drawing number	Figure 17.13a
Rev	0

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.





Legend

- Proposed scheme (DMRB Stage 3 Design)
- SuDS
- 600m Calculation area
- Low Noise Road Surfacing (LNRS)
- Health and education buildings
- Baseline noise monitoring locations - sample receptor

Do-Minimum Baseline Year Vs Do-Something Future Assessment Year with Mitigation (LA10,18hr Free-field) First Floor
x = noise level

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 < x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

0	NOV 2017	ES Publication	KAJCr	SG	DP	AJG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Check'd	Rev'd	Apprv'd

JACOBS
 95 Bothwell Street, Glasgow, G2 7HX, UK.
 Tel: +44(0)141 243 8000
 www.jacobs.com

Client


 TRANSPORT SCOTLAND
 COMHISHAL ALBA

Project

A9 DUALLING
 PERTH TO INVERNESS
 Killiecrankie to Glen Garry

Drawing title
Environmental Statement
Noise Level Difference Contour Map
(First Floor) Do-Minimum Baseline Year Vs
Do-Something Future Assessment Year
(with Mitigation) Sheet 2 of 8

Drawing Status	FINAL		
Scale	1:10,000	@ A3	DO NOT SCALE
Jacobs No.	B2140005		
BIM No.			
Drawing number	Figure 17.13b		Rev 0







Figure 17.13c

Legend

- Proposed scheme (DMRB Stage 3 Design)
- SuDS
- 600m Calculation area
- Low Noise Road Surfacing (LNRS)
- Health and education buildings
- Baseline noise monitoring locations - sample receptor

Do-Minimum Baseline Year Vs Do-Something Future Assessment Year with Mitigation (LA10,18hr Free-field) First Floor
x = noise level


- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 < x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Check'd	Rev'd	Appr'd
0	NOV 2017	ES Publication	KAJCr	SG	DP	AJG

JACOBS
 95 Bothwell Street, Glasgow, G2 7HX, UK.
 Tel: +44(0)141 243 8000
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 CÒRRAIDH ALBA

Project

A9
 DUALLING
 PERTH TO INVERNESS
 Killiecrankie to Glen Garry

Drawing title
Environmental Statement
Noise Level Difference Contour Map
(First Floor) Do-Minimum Baseline Year Vs
Do-Something Future Assessment Year
(with Mitigation) Sheet 3 of 8

Drawing Status	FINAL
Scale	1:10,000 @ A3 DO NOT SCALE
Jacobs No.	B2140005
BIM No.	
Drawing number	Figure 17.13c
Rev	0





Figure 17.13d

Legend

- Proposed scheme (DMRB Stage 3 Design)
- SuDS
- 600m Calculation area
- Low Noise Road Surfacing (LNRS)
- Health and education buildings
- Baseline noise monitoring locations - sample receptor

Do-Minimum Baseline Year Vs Do-Something Future Assessment Year with Mitigation (LA10,18hr Free-field) First Floor
x = noise level

- x ≥ 10 dB
- 5 ≤ x < 10 dB
- 3 ≤ x < 5 dB
- 0 < x < 3 dB
- x = 0 dB
- 3 < x < 0 dB
- 5 < x ≤ -3 dB
- 10 < x ≤ -5 dB
- x ≤ -10 dB

0	NOV 2017	ES Publication	KAJCr	SG	DP	AJG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Check/Rev'd	Appr'd	

JACOBS
 95 Bothwell Street, Glasgow, G2 7HX, UK.
 Tel: +44(0)141 243 8000
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 COIMHIGHAL ALBA

Project

A9
DUALLING
 PERTH TO INVERNESS
 Killiecrankie to Glen Garry


Drawing title
Environmental Statement
Noise Level Difference Contour Map
(First Floor) Do-Minimum Baseline Year Vs
Do-Something Future Assessment Year
(with Mitigation) Sheet 4 of 8

Drawing Status	FINAL		
Scale	1:10,000	@ A3	DO NOT SCALE
Jacobs No.	B2140005		
BIM No.			
Drawing number	Figure 17.13d		Rev 0



This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.


Figure 17.13e



- Legend**
- Proposed scheme (DMRB Stage 3 Design)
 - SuDS
 - 600m Calculation area
 - Low Noise Road Surfacing (LNRS)
 - Health and education buildings
 - Baseline noise monitoring locations - sample receptor

Do-Minimum Baseline Year Vs Do-Something Future Assessment Year with Mitigation (L_{A10,18hr} Free-field) First Floor
x = noise level

- x ≥ 10 dB
- 5 ≤ x < 10 dB
- 3 ≤ x < 5 dB
- 0 < x < 3 dB
- x = 0 dB
- 3 < x < 0 dB
- 5 < x ≤ -3 dB
- 10 < x ≤ -5 dB
- x ≤ -10 dB



0	NOV 2017	ES Publication	KAJCr	SG	DP	AJG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd





Client
 TRANSPORT SCOTLAND
 CO-RRISAL ALBA



Drawing title
Environmental Statement
Noise Level Difference Contour Map
(First Floor) Do-Minimum Baseline Year Vs
Do-Something Future Assessment Year
(with Mitigation) Sheet 5 of 8

Drawing Status	FINAL
Scale	1:10,000 @ A3 DO NOT SCALE
JACOBS No.	B2140005
BIM No.	
Drawing number	Figure 17.13e
Rev	0



Legend

- Proposed scheme (DMRB Stage 3 Design)
- SuDS
- 600m Calculation area
- Low Noise Road Surfacing (LNRS)
- Health and education buildings
- Baseline noise monitoring locations - sample receptor

Do-Minimum Baseline Year Vs Do-Something Future Assessment Year with Mitigation (LA10,18hr Free-field) First Floor
x = noise level

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 < x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

0	NOV 2017	ES Publication	KAJCr	SG	DP	AJG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd

JACOBS
 95 Botwell Street, Glasgow, G2 7HX, UK
 Tel: +44 (0) 141 243 8000
 www.jacobs.com

Client


 TRANSPORT SCOTLAND
 COMHISHAL ALBA

Project



A9 DUALLING
 PERTH TO INVERNESS
 Killiecrankie to Glen Garry

Drawing title
Environmental Statement
Noise Level Difference Contour Map
(First Floor) Do-Minimum Baseline Year Vs
Do-Something Future Assessment Year
(with Mitigation) Sheet 6 of 8

Drawing Status	FINAL		
Scale	1:10,000	@ A3	DO NOT SCALE
Jacobs No.	B2140005		
BIM No.			
Drawing number	Figure 17.13f		Rev 0



This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.



Legend

- Proposed scheme (DMRB Stage 3 Design)
- SuDS
- 600m Calculation area
- Low Noise Road Surfacing (LNRS)
- Health and education buildings
- Baseline noise monitoring locations - sample receptor

Do-Minimum Baseline Year Vs Do-Something Future Assessment Year with Mitigation (LA10,18hr Free-field) First Floor
x = noise level

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 < x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

0	NOV 2017	ES Publication	KAJCr	SG	DP	AJG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd

JACOBS
 95 Bothwell Street, Glasgow, G2 7HX, UK.
 Tel: +44 (0) 141 243 8000
 www.jacobs.com

Client

 TRANSPORT SCOTLAND
 CÒRRI-DHAAL ALBA




Project

A9
 DUALLING
 PERTH TO INVERNESS
 Killiecrankie to Glen Garry

Drawing title
Environmental Statement
Noise Level Difference Contour Map
(First Floor) Do-Minimum Baseline Year Vs
Do-Something Future Assessment Year
(with Mitigation) Sheet 7 of 8

Drawing Status	FINAL		
Scale	1:10,000	@ A3	DO NOT SCALE
Jacobs No.	B2140005		
BIM No.			
Drawing number	Figure 17.13g		Rev 0

Figure 17.13h



- Legend**
- Proposed scheme (DMRB Stage 3 Design)
 - SuDS
 - 600m Calculation area
 - Low Noise Road Surfacing (LNRS)
 - Health and education buildings
 - Baseline noise monitoring locations - sample receptor

Do-Minimum Baseline Year Vs Do-Something Future Assessment Year with Mitigation (LA10,18hr Free-field) First Floor
x = noise level

- $x \geq 10$ dB
- $5 \leq x < 10$ dB
- $3 \leq x < 5$ dB
- $0 < x < 3$ dB
- $x = 0$ dB
- $-3 < x < 0$ dB
- $-5 < x \leq -3$ dB
- $-10 < x \leq -5$ dB
- $x \leq -10$ dB

0	NOV 2017	ES Publication	KAJCr	SG	DP	AJG
Rev.	Rev. Date	Purpose of revision	Orig/Dwn	Checkd	Rev'd	Apprv'd



Client
 TRANSPORT SCOTLAND
 CÒRRAIDH ALBA

Project
A9
 DUALLING
 PERTH TO INVERNESS
 Killiecrankie to Glen Garry

Drawing title
Environmental Statement
Noise Level Difference Contour Map
(First Floor) Do-Minimum Baseline Year Vs
Do-Something Future Assessment Year
(with Mitigation) Sheet 8 of 8

Drawing Status	FINAL		
Scale	1:10,000	@ A3	DO NOT SCALE
JACOBS No.	B2140005		
BIM No.			
Drawing number	Figure 17.13h		Rev 0

