



**TRANSPORT
SCOTLAND**
CÒMHDHAIL ALBA

Environmental Impact Assessment Record of Determination

A77 Treeswoodhead Road

Contents

Project Details	3
Description.....	3
Location	3
Description of local environment.....	5
Air quality	5
Cultural heritage	5
Landscape and visual effects	5
Biodiversity	6
Geology and soils	6
Material assets and waste	6
Noise and vibration	7
Population and human health	7
Road drainage and the water environment.....	8
Climate	8
Description of main environmental impacts and proposed mitigation	10
Air quality	10
Cultural Heritage.....	11
Biodiversity	11
Material assets and waste	12
Noise and vibration	13
Population and human health	13
Road drainage and the water environment.....	14
Climate	15
Vulnerability of the project to risks	15
Assessment cumulative effects.....	15
Assessments of the environmental effects	17
Statement of case in support of a Determination that a statutory EIA is not required.....	17
Annex A.....	19

Project Details

Description

The works are being undertaken as surface defects (fretting/chip loss) and structural defects (rutting/longitudinal/transverse/ cracking) have been identified on the A77 at Treeswoodhead Road, Kilmarnock.

Construction activities will include structural inlays from depths between approx. 30mm-300mm (still to be confirmed) and will consist of the following:

- Implementation of Traffic Management (TM).
- Milling of existing bituminous material by road planer.
- Additional bituminous material removed by jack hammer/excavator, where not accessible by planer.
- Resurfacing of carriageway using TS2010 surface course.
- Road sweeper to collect any loose material.
- Heavy Goods Vehicles (HGVs) for removal and replacement of material.
- New bituminous material laid by a paver.
- Material compacted using a heavy roller.
- Reinstatement of thermoplastic road markings where required.
- Road studs replaced where necessary.
- Removal of TM.

A roller wagon and paver planer will be required.

A detailed programme of works is still to be confirmed; however, works are expected to be undertaken in September 2023 during night-time hours, however this is subject to change.

TM is still to be confirmed but will likely involve overnight road closures.

Location

The scheme is located on the A77 at Kilmarnock, East Ayrshire Please see Figure 1 below. The scheme is located at the following National Grid References (NGRs):

- Start: NS 43907 35944
- End: NS 42768 34485




Figure 1: Scheme Location

Description of local environment

Air quality

The scheme is located along the A77 at Kilmarnock in a semi-rural area with large areas of farmland to the east and the town of Kilmarnock to the west. There are over 100 residential properties within 200m of the scheme, the closest being approximately 15m west of the A77. The only other sensitive receptor to note within 300m is Whatriggs Primary School and Early Childhood Centre (approx. 115m west).

In 2021, the Annual Average Daily Flow (AADF) for all vehicles on the A77 where works are to be undertaken ([manual count point 749](#)) was 26,117 with 1,918 of those being Heavy Goods Vehicles (HGVs). The likely sources of air pollution in the area are from the traffic and road users.

The [Scottish Pollution Release Inventory \(SPRI\)](#) notes there is a waste and wastewater management site approximately 700m northwest of the scheme.

East Ayrshire Council has not declared any [Air Quality Management Areas](#) (AQMAs).

Cultural heritage

A desk study was undertaken using [Pastmap](#) which identified two cultural heritage designations within 300m of the scheme. These are as follows:

- The [Highless Pipeline Historic Environment Record \(HER\) \(ID: 5996\)](#) which is within the scheme extent; and
- [Archaeological Evaluation: Bridgehousehill, Kilmarnock – Phase 1 HER](#) (6986) (approx. 200m northwest).

Landscape and visual effects

A desk study was undertaken using [HLAmap](#) and [SiteLink](#), no landscape designations were identified within 500m of the scheme. HLAmap notes that the land within the scheme is listed as motorway and major roads. The surrounding land is made up of urban areas and rectilinear fields and farms. [The Scottish Landscape Character Type \(LCT\) Map](#) notes the scheme is located within the [Agricultural Lowlands-Ayrshire LCT](#) which covers most of Ayrshire to the north of Kilwinning and Irvine.

The works are like-for-like in nature and while there will be temporary landscape and visual impacts during construction, there will be no permanent change or impact to the landscape and therefore has been scoped out for further assessment.

Biodiversity

The scheme is located along the A77 at Kilmarnock in a semi-rural area with large areas of farmland to the east and the town of Kilmarnock to the west.

There are no European designated sites or Sites of Special Scientific Interest (SSSIs) within 2km of the scheme.

The Transport Scotland Asset Management Performance System (AMPS) has also noted that no Invasive Non-Native Species have been identified within the scheme extent.

Geology and soils

[Scotland's Soils Map](#) notes the soils within the scheme extent as being made up of Mineral Gleys.

The British Geology Viewer notes the geological features within the scheme extent as being:

- Bedrock Geology:
 - Scottish Upper Coal Measures Formation – Sedimentary rock cycles, coal measure type.
 - Scottish Middle Coal Measures Formation – Sedimentary rock cycles, coal measure type.

A desk study was undertaken using [SiteLink](#) and no Geological Conservation Review Sites were identified within 500m of the scheme.

The works are like-for-like in nature and require no excavation and so therefore there will be no impact on geology and soils. Geology and soils has therefore been scoped out of further assessment.

Material assets and waste

The value of this scheme is <£350,000 and therefore does not require a Site Waste Management Plane (SWMP).

Table 1: Key Materials Required for Activities

Activity	Material Required	Origin/ Content
Site Construction	<ul style="list-style-type: none"> • TS2010 surface course • AC20 bituminous binder 	TS2010 Surface Course allows a wider array of aggregate sources to be considered when

Activity	Material Required	Origin/ Content
	<ul style="list-style-type: none"> • AC32 bituminous base • Road paint and studs • Lubricant • Vehicle fuel • Oil. 	<p>compared to typical SMA. As a result, the use of TS2010 will reduce the usage of imported aggregates and increase the use of a wider range of sustainable aggregate sources.</p> <p>A proportion of reclaimed asphalt pavement (RAP) is used in asphalt production. Typical RAP values for base and binder are 10% - 15% with up to 10% in surface course.</p>

Table 2: Key Waste Arising from Activities

Activity	Waste Arising	Disposal/ Regulation
Site Construction	<ul style="list-style-type: none"> • Asphalt planings • Possibility of coal tar 	Uncontaminated road planings generated as a result of the required works, will be fully recycled in accordance with the criteria stipulated within SEPA document 'Guidance on the Production of Fully Recoverable Asphalt Road Planings.'

Noise and vibration

The scheme is located along the A77 at Kilmarnock, there are over 100 residential properties within 300m of the scheme, the closest being approximately 15m west of the A77 which has areas of woodland providing screening from the road. The only other sensitive receptor to note within 300m is Whatriggs Primary School and Early Childhood Centre (approx. 115m west). The main source of noise is the traffic on the A77 which will contribute to noise levels.

[Scotland's Noise Map](#) notes the A77 where works are to be undertaken as having noise levels ranging between 65-<75dB during daytime hours and ranging between 55-<65DB during night-time hours.

The scheme is not located within a [Candidate Noise Management Area \(CNMA\)](#).

Population and human health

The scheme is located along the A77 at Kilmarnock in a semi-rural area with large areas of farmland to the east and the town of Kilmarnock to the west. There are over 100 residential properties within 300m of the scheme, the closest being

approximately 15m west of the A77. The only other important receptor to note within 300m is Whattriggs Primary School and Early Childhood Centre (approx. 115m west).

There are no bus stops on the A77 where works are to be undertaken.

There are no [core paths](#) within the scheme extent. There are no [National Cycling Network Routes](#) within the scheme extent.

Road drainage and the water environment

There is one watercourse within 200m of the scheme, an unnamed burn approximately 60m south of the scheme which the [Scottish Environment Protection Agency \(SEPA\) Flood Risk Map](#) notes as having a 'high-risk' of river flooding and surface water flooding; 'high-risk' refers to there being a 10% chance of flooding every year.

There are several small areas of 'high-risk' surface water flooding adjacent to the A77 to the west.

Drainage along the carriageway is via gullies either side of the carriageway.

Climate

Carbon Goals

The Climate Change (Scotland) Act sets out the target and vision set by the Scottish Government for tackling and responding to climate change. The Act initially included a target of reducing CO2 emissions by 80% before 2050 (from the baseline year 1990).

The Scottish Government has since published its indicative Nationally Determined Contribution (NDC) to set out how it will instead reach net-zero by 2045, working to reduce emissions of all major greenhouse gases by at least 75% by 2030. By 2040, the Scottish Government is committed to reduce emissions by 90%, with the aim of reaching net-zero by 2045 at the latest.

Transport Scotland is committed to reducing carbon across Scotland's transport network, this commitment is being enacted through the [Mission Zero for Transport](#). Transport is the largest contributor to harmful climate emissions in Scotland. In response to the climate emergency, TS are committed to reducing their emissions by 75% by 2030 and to a legally binding target of net-zero by 2045.

Amey's Company Wide Carbon Goal is to achieve Scope 1 and 2 net-zero carbon emissions, with a minimum of 80% absolute reduction on our emissions by 2035. Amey is aiming to be fully net-zero, including Scope 3 emissions, by 2040.

Amey are working towards a contractual commitment to have carbon neutral depots on the SW NMC network by 2028. Amey have set carbon goals for the SW NMC contract as a whole to be net-zero carbon by 2032.

Monitoring, Management and Opportunities

To support our journey towards carbon neutral and zero waste we include potential opportunities for enhancement utilising circular economy principals within assessment of material assets.

Amey (working on behalf of Transport Scotland) undertake carbon monitoring. Emissions from our activities are recorded using Transport Scotland's Carbon Management System.

Further information identifying how Amey will obtain the above Carbon Goals can be viewed within the Carbon Management and Sustainability Plan Roadmap to net-zero: STRNMC – South West.

Description of main environmental impacts and proposed mitigation

Air quality

Impacts

- During construction there is the potential for an increase in dust and emissions from plant and machinery as well as construction activities. This is likely to cause a slight deterioration in air quality within the local area. These impacts will last for the duration of the works only.
- An increase in congestion as a result of TM and travel delays will likely have a temporary impact on air quality within the local area.
- An increase in the use of HGVs during construction will likely have an impact on air quality within the local area.

Mitigation

- Best Practicable Means and Best Practice Guidelines of reducing dust and emissions will be followed as outlined in the [Guidance on the Assessment of Dust from Demolition and Construction \(2014\)](#) published by the IAQM.
- Equipment will be readily available on site to clean spillages as soon as possible after the event using wet cleaning methods.
- All vehicles will switch off engines when stationary. There will be no idling vehicles.
- All plant and fuel-requiring equipment utilised during construction will be well maintained in order to minimise emissions.
- Where relevant, operations will be wetted to reduce dust arising.
- Drop heights to haulage vehicles and onto convoys will be minimised where possible.
- Surfaces will be swept where loose material remains following construction.

The residual significance of effects is considered not significant and does not warrant any further assessment in accordance with DMRB Guidance document LA 105: Air Quality.

Cultural Heritage

Impacts

- The works have the potential to impact the [Highless Pipeline Historic Environment Record \(HER\) \(ID: 5996\)](#) which is within the scheme extent. However, as no excavation is required and works are like-for-like in nature, this is unlikely.

Mitigation

- All works will remain within the carriageway and within already engineered ground.
- Should the scope of works change, and excavation is required, the Amey E&S Team will be notified immediately for advice.

On the condition that the above mitigation measures and best practice are adhered to, the residual effect on cultural heritage is considered not significant.

Therefore, in accordance with DMRB Guidance document LA 106: Cultural Heritage, no further assessment is required.

Biodiversity

Impacts

- Additional noise from construction activities could cause disturbance to any surrounding protected species.
- If night-time works are required, misdirected site lighting could cause disturbance to any surrounding nocturnal species.

Mitigation

- In the event that a protected species is noticed on site, works will temporarily be suspended until the animal has moved on. Any sightings will be reported to the E&S Team.
- Vehicles and materials will not be stored or parked on grass verges where possible. Where damage occurs, the reinstatement of the grass verge will be carried out.
- If night-works are required, where lighting is required, hoods will be used and lights directed at works and away from ecological receptors (e.g. woodland, structures etc) to minimise disturbance to nocturnal species.
- Soft starts of plants and equipment will be used in order to minimise disturbance to species.

On the condition that the above mitigation measures and best practice are adhered to, the residual effect on local biodiversity is considered not significant.

Therefore, in accordance with DMRB Guidance document LA 108: Biodiversity, no further assessment is required.

Material assets and waste

Impacts

- The design life for the TS2010 surfacing proposed is estimated to be 20 years. This will reduce the requirement for maintenance to this section of road over the period.
- The works will result in contribution to resource depletion through use of virgin materials.
- Transportation and recovery of materials/waste will require energy deriving from fossil fuel, a non-renewable source.
- Tar bound materials may be identified during the investigation coring.

Mitigation

- Materials will be derived from recycled, secondary or re-used origin as far as practicable within the design specifications to reduce natural resource depletion and associated emissions.
- The contractor will adhere to waste management legislation and ensure they comply with waste management Duty of Care.
- Uncontaminated road planings arising from the works will be fully recycled under a SEPA Paragraph 13(a) Waste exemption in accordance with guidance on the Production for Fully Recovered Asphalt Road Planings.
- All waste leaving the site will be removed by a licence waste carrier. All waste documentation will be provided when requested.
- The disposal of special waste is also subject to obtaining a SEPA consignment note and providing advance notice of at least three days prior to any waste movement. No planings contain any traces of coal tar.
- Use of TS2010 will reduce the usage of imported aggregates and increase the use of a wider range of sustainable aggregate sources thus reducing GHG emissions.
- Where possible, materials will be obtained locally, and operatives deployed from the local depot to reduce haulage and scheme associated journeys, reducing impact of associated GHG emissions on climate change.
- Where possible all materials will be reused throughout the network, if not possible they will be taken to a local licenced facility.
- The use of TS2010 Surface Course will prolong the period before future resurfacing is required, compared to other types of road surface. Future repairs can be able to be carried out easily via inlay.

It has been determined that the proposed project will not have direct or indirect significant effects on the consumption of material assets or creation of waste.

Noise and vibration

Impacts

- Residential properties within 300m will likely experience adverse impacts if night-works are required.

Mitigation

- If night-time works are required, East Ayrshire Council and residential properties within 300m will be notified of the works which will include dates, times and duration as well as TM details.
- Operatives will avoid unnecessary revving of engines and switch off equipment when not in use.
- Operatives will minimise drop height of materials.
- Operatives will start-up plant and vehicles sequentially rather than all together.
- If night works are required, the noisiest works will take place before 23:00.
- If night-works are required, operatives will keep noise to a minimum.

With best practice mitigation measures in place, the residual construction effects associated with Noise and Vibration is considered not significant.

Therefore, in accordance with DMRB Guidance document LA 111: Noise and Vibration no further assessment is required.

Population and human health

Impacts

- TM is likely to cause travel delays for road users.

Mitigation

- If night-time works are required, East Ayrshire Council and residential properties within 300m will be notified of the works which will include dates, times and duration as well as TM details.
- TM restrictions/arrangements and any expected travel delays will be publicised within the local and wider area, in an effort to minimise disturbance to vehicular travellers.

With best practice mitigation measures in place, the residual construction effects associated with Population and Human Health is considered not significant.

Therefore, in accordance with DMRB Guidance document LA 112: Population and Human Health no further assessment is required.

Road drainage and the water environment

Impacts

- If not adequately controlled, debris and run off from the works could be suspended in the surface water. In the event of a flooding incident, this debris may be mobilised and could enter the road drainage having a detrimental effect on the surrounding local water environment.
- Potential for spills, leaks or seepage of fuels and oils associated with plant to escape and reach drainage systems and watercourses if not controlled, which may negatively affect the distant water environment.

Mitigation

- All debris which has the potential to be suspended in surface water and wash into the local water environment will be cleaned from the site following the works.
- Debris and dust generated as a result of the works will be prevented from entering the drainage system. This can be via the use of drain covers or similar.
- Appropriate measures will be implemented onsite to prevent any potential pollution to the natural water environment (e.g., debris, dust, and hazardous substances). This will include spill kits being present onsite at all times, and the use of funnels and drip trays when transferring fuel etc.
- The control room will be contacted if any pollution incidences occur on
- Visual pollution inspections of the working area will be conducted in frequency, especially during heavy rainfall and wind.
- Weather reports will be monitored prior and during all construction activities. In the event of adverse weather/flooding events, all activities will temporarily stop, and only reconvene when deemed safe to do so, and run-off/drainage can be adequately controlled to prevent pollution.

Providing all works operate in accordance with current best practice, as demonstrated by the Scottish Environmental Protection Agency's (SEPA's) GPPs, the residual effect on Road Drainage and the Water Environment is considered not significant.

Therefore, in accordance with DMRB Guidance document LA 113: Road drainage and the water environment no further assessment is required.

Climate

Impacts

- Greenhouse Gas (GHG) emissions will be emitted through the use of machinery, vehicles and materials used (containing recycled and virgin materials) and transporting to and from site.

Mitigation

- Local suppliers will be used as far as reasonably practicable to reduce travel time and GHG emitted as part of the works.
- Vehicles/plant will not be left on when not in use to minimise and prevent unnecessary emissions being emitted.
- Further actions and considerations for this scheme are detailed in the above Material assets and waste section.

It has been determined that the proposed project will not have direct or indirect significant effects to climate.

Vulnerability of the project to risks

As the works will be limited to the like-for-like resurfacing of the carriageway, there will be no change in vulnerability of the road to risk, or in severity of major accidents/disasters that would impact on the environment.

It has been determined that the proposed project is not expected to alter the vulnerability of the existing trunk road infrastructure to risk of major accidents or disasters.

Assessment cumulative effects

[The Scottish Road Works Commissioner's Interactive Map](#) has not highlighted any ongoing works during the proposed timescale and at the location of the proposed works.

[Amey's current programme of works](#) has not highlighted any ongoing works during the proposed timescale and at the location of the proposed works.

[East Ayrshire Council Planning Portal](#) has not highlighted any ongoing works during the proposed timescale and at the location of the proposed works.

Any future schemes will be programmed to take into account already programmed works, and as such any effect (such as from TM arrangements and potential construction noise) will be limited.

Overall, it is unlikely the proposed works will have a significant cumulative effect with any other proposed works in the local area.

Assessments of the environmental effects

Following assessment as detailed within this Record of Determination, and provided that mitigation measures are in place and best practice is followed, the residual impact is deemed neutral and there will be no significant effects on the environment.

The following environmental surveys/reviews have been undertaken:

- An Initial Environmental Review of the scheme, undertaken by the Environment and Sustainability Team at Amey in June 2023.

Statement of case in support of a Determination that a statutory EIA is not required

This is a relevant project in terms of section 55A(16) of the Roads (Scotland) Act 1984 as it is a project for the improvement of a road and the completed works (together with any area occupied by apparatus, equipment, machinery, materials, plant, spoil heaps, or other such facilities or stores required during the period of construction) exceed 1 hectare in area.

The project has been subject to screening using the Annex III criteria to determine whether a formal Environmental Impact Assessment is required under the Roads (Scotland) Act 1984 (as amended by The Roads (Scotland) Act 1984 (Environmental Impact Assessment) Regulations 2017). Screening using Annex III criteria, reference to consultations undertaken and review of available information has not identified the need for a statutory EIA.

The project will not have significant effects on the environment by virtue of factors such as:

Characteristics of the scheme:

- Construction activities are restricted to the approximate 10,500m² area of existing carriageway.
- The works will be temporary and localised and completed potentially during both daytime and night-time hours.
- No disturbance is anticipated to protected species within the wider area.
- At end of life, components can be recycled, reducing waste to landfill.
- The chosen material TS2010 Surface Course allows a wider array of aggregate sources to be considered when compared to typical SMA.
- The design option conveys sustainability benefits by significantly reducing the quantity of maintenance interventions required at the location.

- As the works will be limited to the like-for-like replacement of the structural components, there is no change to the vulnerability of the road to the risk or severity of major accidents/disasters that would impact on the environment.
- No impacts on the environment are expected during the operational phase as a result of works. The use of TS2010 road surfacing affords the benefits of a reduction in mid to high frequencies of traffic noise and a reduction in ground vibrations. As a result, ambient noise levels should decrease post construction.

Location of the scheme:

- The scheme will be confined within the existing carriageway boundaries and as a result will not require any land take and will not alter any local land uses.
- The scheme is not situated in whole or in part in a “sensitive area” as listed under regulation 2 (1) of the Environmental Impact Assessment (Scotland) Regulations 1999 (as amended).

Characteristics of potential impacts of the scheme:

- Containment measures of the working area will be in place to prevent debris or pollutants from entering the surrounding water environment.
- Any uncontaminated road planings will be recycled in accordance with Guidance on the Production for Fully Recovered Asphalt Road Planings.
- Materials will be derived from recycled, secondary or re-used origin as far as practicable within the design specifications.

Annex A

“sensitive area” means any of the following:

- land notified under sections 3(1) or 5(1) (sites of special scientific interest) of the Nature Conservation (Scotland) Act 2004
- land in respect of which an order has been made under section 23 (nature conservation orders) of the Nature Conservation (Scotland) Act 2004
- a European site within the meaning of regulation 10 of the Conservation (Natural Habitats, &c.) Regulations 1994
- a property appearing in the World Heritage List kept under article 11(2) of the 1972 UNESCO Convention for the Protection of the World Cultural and Natural Heritage
- a scheduled monument within the meaning of the Ancient Monuments and Archaeological Areas Act 1979
- a National Scenic Area as designated by a direction made by the Scottish Ministers under section 263A of the Town and Country Planning (Scotland) Act 1997
- an area designated as a National Park by a designation order made by the Scottish Ministers under section 6(1) of the National Parks (Scotland) Act 2000.



**TRANSPORT
SCOTLAND**

CÒMHDHAIL ALBA

© Crown copyright 2023

You may re-use this information (excluding logos and images) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence, visit <http://www.nationalarchives.gov.uk/doc/open-government-licence> or e-mail: psi@nationalarchives.gsi.gov.uk

Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.

Further copies of this document are available, on request, in audio and visual formats and in community languages. Any enquiries regarding this document / publication should be sent to us at info@transport.gov.scot

This document is also available on the Transport Scotland website: www.transport.gov.scot

Published by Transport Scotland, August 2023

Follow us:



transport.gov.scot



**Scottish Government
Riaghaltas na h-Alba
gov.scot**